



## Deader. Faster.

4-Speed® XT herbicide provides fast, effective post-emergent control of a wide range of broadleaf weeds in a variety of settings including golf courses and professional turf. The power behind the performance is a unique blend of active ingredients. In 4-Speed XT, the tough weed killer, triclopyr, is combined with 2,4-D, dicamba and pyraflufenethyl to create a combination lethal to virtually any broadleaf weed.

#### PREMIUM CHEMISTRY

- Fast-acting broadleaf weed control with visible results within 24 to 48 hours
- Premium chemistry of four active ingredients
- Maximum control of hard-to-control weeds like wild violet, ground ivy and spurge
- Good tolerance on established cool- and warm-season turfgrasses
- Non-restricted use in NY

EPA REG. NO.	228-590
ACTIVE INGR.	2,4-D (41.92%), triclopyr (4.81%), dicamba (3.46%), pyraflufen-ethyl (0.067%)
FORMULATION	liquid
CHEM. FAMILY	phenoxy, pyridine, benzoic acid, phenylpyrazole
HRAC NO.	4 and 14
SIGNAL WORD	caution
RESTRICTED	no
PACKAGE SIZE	12 x 1 qt, 5 x 1 gal, 2 x 2.5 gal, 30 gal
RESIDENTIAL	
	۱L
TURF	
GOLFTURF	
POST-EMERG	θE
O SOD FARMS	



# 4-Speed®XT

#### **KEY USES**

Athletic fields Cemeteries Golf courses *(fairways, aprons, tees and roughs)* Lawns Parks Sod farms

### **KEY WEEDS CONTROLLED**

(See product label for complete list)

Beggarweed Bindweed Black medic Buckhorn Chickweed Dandelion Florida pusley Frenchweed Goldenrod Ground ivy Henbit Jimsonweed Knawel Knotweed Kochia Lambsquarters Lespedeza Little starwort Mallow Oxalis Pennywort Pepperweed Pigweed Plantain Purslane Ragweed Red clover Red sorrel Sheep sorrel Spurge Thistle Toadflax Veronica Vetch Wild aster Wild violet White clover

#### **USE SUMMARY**

Apply to young, actively growing weeds as a post-emergence broadcast or spot spray. Use only medium or coarser spray nozzles to minimize drift and do not apply at wind speeds over 10 mph or during temperature inversions.

BAHIAGRASS, BLUEGRASS, COMMON BERMUDAGRASS, FESCUE, RYEGRASS AND ZOYSIAGRASS Use rate: 3 to 4 pts/A Spray volume: 3 gal/A to 220 gal/A

Some hybrid bermudagrass may be sensitive to this product. Use reduced rates if grass is stressed from heat or drought. Higher water volumes may be used when tank-mixed with a turf fertilizer. Follow fertilizer labels.

#### BENTGRASS

Use rate: 1.8 pt/A Spray volume: 145 gal/A

Apply on closely mowed bentgrass, preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

See label for complete directions for use.

