



CARBAIT 5

Contains Carbaryl Insecticide N-METHYLCARBAMATE

FOR THE CONTROL OF MOLE CRICKETS, CUTWORMS, ARMYWORMS, FIELD CRICKETS, DARKLING BEETLES, GRASSHOPPERS AND SOWBUGS IN COMMERCIAL TURF, RESIDENTIAL LAWNS, ORNAMENTALS and VEGETABLES

ACTIVE INGREDIENT:
Carbaryl: 1-Naphthyl N-methylcarbamate 5.0%
INERT INGREDIENTS:..... 95.0%
TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
AND DOMESTIC ANIMALS
CAUTION**

FIRST AID

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not induce vomiting or give anything by mouth to an unconscious person. **IF ON SKIN or CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **NOTE TO PHYSICIAN:** Carbaryl is an N-methyl carbamate which is a cholinesterase inhibitor. Specific antidote consists of atropine. Narcotics and other sedatives should not be used. Drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended. Have the product container or label with you when calling a poison control center or doctor, or going for treatment advice. For information on this product (including health concerns, medical emergencies, or pesticide incidents) call the National Pesticide Information Center at 1-800-858-7378.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are Barrier Laminate, Butyl Rubber, Neoprene Rubber, Polyvinyl Chloride (PVC) or Viton. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart. Loaders, applicators and other handlers must wear: long-sleeved shirt and long pants, chemical resistant gloves, and shoes plus socks. **Aerial application is prohibited.**

USER SAFETY REQUIREMENTS

Follow manufacturers' instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

When applicators use enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(5)), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from area treated. Drift and runoff may kill aquatic invertebrates in water adjacent to treated areas. Do not contaminate water by cleaning equipment or disposing of wastes. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **PESTICIDE STORAGE:** Pesticide should be stored in the original container in a locked storage area. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste facility. **CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and involves contact with anything that has been treated, such as plants, soil, or water, is: 1. Coveralls over short-sleeve shirt and short pants, 2. Chemical-resistant footwear, shoes plus socks, 3. Chemical-resistant gloves made of any waterproof material, and gloves, 4. Chemical-resistant headgear for overhead exposure.

When the Restricted-Entry Interval for a crop is 7 days or longer, you must notify workers of the application by warning them orally and by posting warning signs at entrances to treated area.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, nurseries, or greenhouses. Do not enter or allow others to enter the treated area until dusts have settled. In addition, if directions for use require watering-in, do not enter or allow others to enter the treated area (except those involved in the watering-in) until the watering-in is completed and the area has dried.

This product may be applied only by a commercial ground spreader. Product must be watered in immediately after application to residential lawns. Do not apply by hand, spoon, or belly grinder. For outdoor use only.

TO CONTROL MOLE CRICKETS IN TURF, ORNAMENTALS and VEGETABLES

TURF - including golf courses, cemeteries, commercial landscape and sod farms (REI for sod farms is 24 hours.) Treat entire area evenly and uniformly using a commercial type spreader at a dosage of .75 to .9 lb. per 1000 sq. ft. (32 to 40 lbs per acre) Do not make more than 4 applications per year. Do not retreat before 7 days. For best results cut turfgrass, remove clippings and water thoroughly before treatment. When product is applied to residential lawns, watering in immediately after application is required.

ORNAMENTAL PLANTINGS - Apply evenly and uniformly to soil around flowers, shrubs and trees at the rate of .75 to .9 lb./1000 sq. ft. Do not make more than 3 applications per year. Do not retreat before 7 days. For best results, areas to be treated should be damp. (REI is 12 hours. EXCEPTION: the REI is 18 days for ornamentals grown for cuttings (cut flowers or cut foliage) where production is in outdoor areas and where average annual rainfall is less than 25 inches a year.) Notify workers of the application and restricted-entry interval by warning them orally and by posting warning signs at entrances to treated area. Note: information of average annual rainfall for your area is available from any nearby weather bureau, such as one located at a local airport or one affiliated with the National Oceanographic and Atmospheric Administration (NOAA)

VEGETABLE AND OTHER CROPS- Apply granules as a broadcast application over the soil with commercial type ground spreader. Dosages from .45 lb. to .9 lb. per 1,000 sq. ft. (20 to 40 lbs per acre) will control Ants (except fire ants, pharaoh ants, harvester ants and carpenter ants), Cutworms, Armyworms, Crickets, Darkling Beetles, Grasshoppers and Sowbugs.

VEGETABLE AND OTHER CROPS	Dosage Rate	
	1,000 Sq. Ft.	1 Acre
Cucumbers (3), Squash (3), Melons (3), *7, **6	.45 lb.	20 lbs.
Eggplant (3), Peppers (3), Tomatoes (3) *7, **4	.9 lb.	40 lbs.
Okra (3), *6, **6	.9 lb.	40 lbs.
Broccoli (3), Brussels Sprouts (3), Cabbage (3), Cauliflower (3), *7, **3	.9 lb.	40 lbs.
Application is permitted only within 30 days from the date of crop emergence or the date of transplanting.		
Garden Beets (roots) (7), Potatoes (7),	.9 lb.	40 lbs.
Radishes and Turnips (roots) (7) Carrots (7) *2, **3		

Number in () behind crop name is the days required between final application and harvest (PHI)

* behind crop name is Minimum Retreatment Interval, days

** behind crop name is Maximum Number of applications per year

NOTICE: To the extent consistent with applicable law, buyer assumes all risk and liability of use, storage and/or handling of this material not in accordance with the terms of this label.

Manufactured for:



Suwanee, Georgia

EPA Est. No. 829-FL-1

Net Weight: 40 bs.(18.14 kg.)

EPA Reg. No. 829-285-72159

FOR INFORMATION AND QUESTIONS CONCERNING THIS PRODUCT
PLEASE CONTACT US BY EMAIL AT SALES@AGRISEL.COM