

**DuPont™ Oust® XP Herbicide**

Version 2.1

Revision Date 01/04/2011

Ref. 130000029167

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont™ Oust® XP Herbicide
Tradename/Synonym : DPX-T5648
B11159747
SULFOMETURON METHYL: {Methyl 2-[[[(4,6-dimethyl-2-pyrimidinyl)amino]-
carbonyl]amino]sulfonyl]benzoate}

MSDS Number : 130000029167

Product Use : Herbicide

Manufacturer : DuPont
1007 Market Street
Wilmington, DE 19898

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000)
Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)
Transport Emergency : CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Caution

Causes moderate eye irritation. Avoid contact with skin, eyes and clothing.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Skin : May cause: Irritation with discomfort or rash.

Eyes : May cause: Irritation with discomfort, pain, redness, or visual impairment.

Ingestion

**DuPont™ Oust® XP Herbicide**

Version 2.1

Revision Date 01/04/2011

Ref. 130000029167

Sulfometuron methyl : Effects due to ingestion may include: Red blood cell destruction which could produce tiredness, rapid heartbeat, dizziness, pale skin, leg cramps, shortness of breath, jaundice (yellow tinge to skin and eyes)

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Sulfometuron methyl	74222-97-2	75 %
Other Ingredients		25 %

SECTION 4. FIRST AID MEASURES

- Skin contact : The material is not likely to be hazardous by skin contact, but cleansing the skin after use is advisable. Consult a physician if necessary.
- Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Inhalation : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.
- Ingestion : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.

**DuPont™ Oust® XP Herbicide**

Version 2.1

Revision Date 01/04/2011

Ref. 130000029167

General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
For medical emergencies involving this product, call toll free 1-800-441-3637.
See Label for Additional Precautions and Directions for Use.

SECTION 5. FIRE-FIGHTING MEASURES

Flammable Properties

Flash point : not applicable

Lower explosion limit : 0.092 g/l

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

Unsuitable extinguishing media : High volume water jet, (contamination risk)

Firefighting Instructions : Wear full protective clothing and self-contained breathing apparatus. (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray.
Control Runoff.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.

Spill Cleanup : Sweep up and shovel into suitable containers for disposal.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Never return spills in original containers for re-use. Dispose of in accordance with local regulations.



DuPont™ Oust® XP Herbicide

Version 2.1

Revision Date 01/04/2011

Ref. 130000029167

SECTION 7. HANDLING AND STORAGE

- Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.
- Handling (Physical Aspects) : Keep away from heat and sources of ignition. Under severe dusting conditions, this material may form explosive mixtures in air.
- Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Store in original container. Keep tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Engineering controls : Use only with adequate ventilation. When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.
- Personal protective equipment
 - Skin and body protection : Applicators and other handlers must wear:
 - Long sleeved shirt and long pants
 - Shoes plus socks
 - PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
 - Coveralls
 - Chemical resistant gloves made of any waterproof material
 - Shoes plus socks
 - Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Exposure Guidelines

**DuPont™ Oust® XP Herbicide**

Version 2.1

Revision Date 01/04/2011

Ref. 130000029167

Exposure Limit Values

Sulfometuron methyl

TLV	(ACGIH)	5 mg/m3	TWA	
AEL *	(DUPONT)	10 mg/m3	8 & 12 hr. TWA	Total dust.

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: solid, dry, free flowing granules
Color	: off-white
Odor	: none
pH	: no data available
Bulk density	: 39 lb/ft ³
	packed
Bulk density	: 33 lb/ft ³
	loose
Water solubility	: dispersible

SECTION 10. STABILITY AND REACTIVITY

Stability	: Stable at normal temperatures and storage conditions.
Incompatibility	: None reasonably foreseeable.
Hazardous decomposition products	: Decomposition will not occur.
Hazardous reactions	: Hazardous polymerization will not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

DuPont™ Oust® XP Herbicide


DuPont™ Oust® XP Herbicide

Version 2.1

Revision Date 01/04/2011

Ref. 130000029167

Inhalation 4 h LC50	:	> 5.3 mg/l , rat
Dermal LD50	:	> 5,000 mg/kg , rabbit
Oral LD50	:	> 5,000 mg/kg , rat
Skin irritation	:	slight irritation, rabbit
Eye irritation	:	slight irritation, rabbit
Sensitisation	:	Animal test did not cause sensitization by skin contact., guinea pig

Sulfometuron methyl

Repeated dose toxicity

: The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.

Oral

multiple species

Reduced body weight gain, Liver effects, Red blood cell destruction causing abnormal decrease in number of red blood cells (anaemia), altered blood chemistry

Carcinogenicity	:	Animal testing did not show any carcinogenic effects.
Mutagenicity	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Reproductive toxicity	:	Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity.
Teratogenicity	:	Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Sulfometuron methyl

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 148 mg/l

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) > 150 mg/l


DuPont™ Oust® XP Herbicide

Version 2.1

Revision Date 01/04/2011

Ref. 130000029167

120 h EC50 : Pseudokirchneriella subcapitata (green algae) 0.0046 mg/l

48 h EC50 : Daphnia magna (Water flea) > 150 mg/l

Toxicity to other organisms
Sulfometuron methyl

LC50 : Anas platyrhynchos (Mallard duck) > 5,000 ppm
Dietary

LC50 : Colinus virginianus (Bobwhite quail) > 5,620 ppm
Dietary

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal : Container Refilling and Disposal:
Refer to the product label for instructions.
Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

SECTION 14. TRANSPORT INFORMATION

IATA_C UN number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Sulfometuron methyl)

Class : 9

Packing group : III

7 / 9


DuPont™ Oust® XP Herbicide

Version 2.1

Revision Date 01/04/2011

Ref. 130000029167

IMDG	Labelling No.	: 9MI
	UN number	: 3077
	Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Sulfometuron methyl)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
	Marine pollutant	: yes (Sulfometuron methyl)

Not regulated as a hazardous material by DOT.

SECTION 15. REGULATORY INFORMATION

SARA 313 Regulated Chemical(s)	: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Title III hazard classification	: Acute Health Hazard: Yes Chronic Health Hazard: No Fire: No Reactivity/Physical hazard: No Pressure: No
EPA Reg. No.	: 352-601 In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.
PA Right to Know Regulated Chemical(s)	: Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Sucrose , Trisodium phosphate dodecahydrate , 1,2-Benzisothiazol-3(2H)-one 1,1-dioxide
NJ Right to Know Regulated Chemical(s)	: Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances

**DuPont™ Oust® XP Herbicide**

Version 2.1

Revision Date 01/04/2011

Ref. 130000029167

identified as carcinogens, mutagens or teratogens): 1,2-Benzisothiazol-3(2H)-one 1,1-dioxide

SECTION 16. OTHER INFORMATION

	NFPA	HMIS
Health :	1	1
Flammability :	1	1
Reactivity/Physical hazard :	0	0

™ Trademark of E.I. du Pont de Nemours and Company.

® Registered trademark of E.I. du Pont de Nemours and Company

Contact person : DuPont Crop Protection, Wilmington, DE, 19898, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.