Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

SECTION 1. IDENTIFICATION

Product identifier

Product name Fame™ SC Fungicide

Other means of identification

Product code 50002099

Chemical nature Mixture

Recommended use of the chemical and restrictions on use

Recommended use

Can be used as fungicide only.

Restrictions on useUse as recommended by the label.

Details of the supplier of the safety data sheet

<u>Manufacturer</u> FMC Corporation

2929 WALNUT ST

PHILADELPHIA PA 19104

USA

(215) 299-6000 (General Information)

SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:

1 800 / 424-9300 (CHEMTREC - U.S.A.) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:

U.S.A. & Canada: +1 800 / 331-3148

All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

Specific target organ toxicity

- repeated exposure

Category 1

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

GHS label elements

Hazard pictograms





Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated

exposure.

Precautionary Statements : Prevention:

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.

P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Methanone, [2-[[6-(2-chlorophenoxy)-	361377-29-9	>= 30 - < 50
5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-		
dihydro-1,4,2-dioxazin-3-yl)-, O-		
methyloxime, (1E)-		
glycerol	56-81-5	>= 10 - < 20

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

In case of skin contact : Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water. Call a physician if irritation develops or persists.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

and effects delayed

May cause an allergic skin reaction.

Harmful if inhaled.

Causes damage to organs through prolonged or repeated

exposure.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

Thermal decomposition can lead to release of irritating gases

and vapors.

Carbon oxides

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-:

tive equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.

Never return spills in original containers for re-use.

Mark the contaminated area with signs and prevent access to

unauthorized personnel.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapors/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

Fame™ SC Fungicide



Version **Revision Date:** SDS Number: Date of last issue: -

10/17/2022 50002099 Date of first issue: 01/10/2020 1.5

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerol 56-81-	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection No personal respiratory protective equipment normally re-

quired.

Hand protection

Material Wear chemical resistant gloves, such as barrier laminate,

butyl rubber or nitrile rubber.

Remarks The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection Impervious clothing

> Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures Wear suitable protective equipment.

> Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper in-

structions.

When using do not eat or drink. Hygiene measures

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance suspension

viscous liquid

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

Color : off-white

Odor : solvent-like

Odor Threshold : No data available

pH : 6.8

(10% solution in water)

: No data available

No data available

Flash point : No data available

Evaporation rate : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : $1.19 (68 \degree F / 20 \degree C)$

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 822 mPa.s (77 °F / 25 °C)

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.9 mg/l

Test atmosphere: dust/mist

Acute toxicity estimate: 12.16 mg/l

Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result : slight irritation

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result : No eye irritation

Remarks : Vapors may cause irritation to the eyes, respiratory system

and the skin.

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Assessment : The product is a skin sensitizer, sub-category 1B.

Result : May cause sensitization by skin contact.

Remarks : Causes sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

glycerol:

Genotoxicity in vitro : Test Type: reverse mutation assay

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

glycerol:

Species : Rat Application Route : Oral

Exposure time : 2 years Years Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

glycerol:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

Result: negative





Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

Effects on fetal development : Test Type: Two-generation study

Species: Rat

Application Route: Oral

Result: negative

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

NOAEL : 1.5 mg/kg Application Route : Ingestion Exposure time : 90 d

glycerol:

Species : Rat
LOAEL : 1 mg/kg
Application Route : Inhalation
Exposure time : 14 d

Dose : 0, 1, 1.93, 3.91 mg/L

Symptoms : respiratory tract irritation, Fatality

Species : Rat
NOAEL : 0.165 mg/l
LOAEL : 0.662 mg/l
Application Route : Inhalation
Exposure time : 13 w

Dose : 0, 0.033, 0.165, 0.662 mg/L Symptoms : respiratory tract irritation

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.435 mg/l

Exposure time: 96 h

LC50 (Cyprinus carpio (Carp)): 0.57 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.97 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.48 mg/l

Exposure time: 48 h

glycerol:

Toxicity to fish : LC50 (Fish): 885 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 1,955 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus capricornutum (fresh water algae)):

2,900 mg/l

Exposure time: 192 h

Toxicity to microorganisms : EC10 (Pseudomonas putida): 10,000 mg/l

Exposure time: 16 h

Persistence and degradability

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Biodegradability : Biodegradation: 52.1 %

glycerol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 94 % Exposure time: 24 h

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

Bioaccumulative potential

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Bioaccumulation : Bioconcentration factor (BCF): 52.1

Remarks: This substance is not considered to be persistent,

bioaccumulating and toxic (PBT).

Partition coefficient: n-

octanol/water

log Pow: 2.86 (68 °F / 20 °C)

glycerol:

Partition coefficient: n- : log Pow: -1.75 (77 °F / 25 °C)

octanol/water pH: 7.4

Mobility in soil

Components:

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-methyloxime, (1E)-:

Distribution among environ-

mental compartments

: Remarks: Slightly mobile in soils

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-

tection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Fluoxastrobin)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Fluoxastrobin)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen:

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Fluoxastrobin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

Components	CAS-No.	Component RQ	Calculated product RQ	
		(lbs)	(lbs)	
ethylbenzene	100-41-4	100	100 (F003)	

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

glycerol 56-81-5 >= 10 - < 20 %

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

sodium hydroxide 1310-73-2 >= 0 - < 0.1 % ethylbenzene 100-41-4 >= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

 sodium hydroxide
 1310-73-2 >= 0 - < 0.1 %

 ethylbenzene
 100-41-4 >= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

glycerol 56-81-5

Pennsylvania Right To Know

water 7732-18-5 Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4- 361377-29-9

pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-

methyloxime, (1E)-

glycerol 56-81-5

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

ethylbenzene 100-41-4

Washington Chemicals of High Concern

ethylbenzene 100-41-4

California Prop. 65

WARNING: This product can expose you to chemicals including ethylbenzene, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Permissible Exposure Limits for Chemical Contaminants

glycerol 56-81-5

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

Methanone, [2-[[6-(2-chlorophenoxy)-5-fluoro-4-

pyrimidinyl]oxy]phenyl](5,6-dihydro-1,4,2-dioxazin-3-yl)-, O-

methyloxime, (1E)-

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information


Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

NFPA 704:



Special hazard

0 No health threat, **1** Slightly Hazardous, **2** Hazardous, **3** Extreme danger, **4** Deadly

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

OSHA PO : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

OSHA P0 / TWA : 8-hour time weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and

Fame™ SC Fungicide



Version Revision Date: SDS Number: Date of last issue: -

1.5 10/17/2022 50002099 Date of first issue: 01/10/2020

Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC Logo - Trademark of FMC Corporation
© 2021 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet