

**KILL them
where they
LIVE**

Fire Ant Mound Injector

- Unique Injector rod has omni-directional spray head and provides deep access to mound.
- Immediately lowers the ants' body temperatures which disables them; this deters escape and moving of the queen.



Nisus is a registered trademark of Nisus Corporation. ©2010 Nisus Corporation #55-C-FB-FA-0610a

FIREBACK FIRE ANT MOUND INJECTOR

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido)
methyl 2,2-dimethyl-3-(2-methylpropenyl)
cyclopropanecarboxylate]:.....0.200%
Esfenvalerate [(S)-cyano(3 phenoxyphenyl) methyl-(S)-4-chloro-
alpha-(1-methylethyl) benzeneacetate]:0.100%
OTHER INGREDIENTS:99.700%
TOTAL:100.000%
EPA Reg. No. 10807-191-64405

- For Outdoor Use Only
- For Use in Yards, Parks, Woodlands, Playgrounds, and Golf Courses
- “Mound-Penetrating” Rod Kills Fire Ants In Their Mounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing spray mist. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

FIRST AID STATEMENTS

IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS:

Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ENVIRONMENTAL HAZARDS:

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

To kill Fire Ants in their Mounds: DO NOT DISTURB MOUND PRIOR TO TREATMENT. Attach injector rod to can. While spraying, slowly drive rod into mound until resistance is met, which indicates the bottom of the nest has been reached. Spray for 5 seconds for each 6” diameter mound. For example, an 18” diameter mound would require three separate injections around the mound. All mounds in the vicinity should be treated. For best results treatment should be made in early morning or late evening when ants are least active. Avoid contamination of food and feedstuffs.

STORAGE & DISPOSAL:

STORAGE: Store in a cool, dry area away from heat or open flame. **CONTAINER DISPOSAL:** Do Not Puncture or Incinerate! **IF EMPTY:** Place in trash or offer for recycling if available. **IF PARTLY FILLED:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Manufactured for:



100 Nisus Drive • Rockford, TN 37853
(800) 264-0870

Nisus is a registered trademark of Nisus Corporation.
Made in the U.S.A.

© 2010 Nisus Corporation #FB-FA-0510-SAL0204

MATERIAL SAFETY DATA SHEET

This MSDS complies with OSHA'S Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 174

IDENTITY AND DISTRIBUTOR'S INFORMATION						
NFPA Rating: Health-2; Flammability-3; Reactivity-0; Special--			HMIS Rating: Health-2; Flammability-3; Reactivity-0; Personal Protection-B			
Manufactured For: NISUS Corp. Address: 100 Nisus Drive Rockford, TN 37853			DOT Hazard Classification: ORM-D Identity (trade name as used on label): FIREBACK FIRE ANT MOUND INJECTOR			
Phone: 800-264-0870			MSDS Number: A01490 Revision- 1			
DOT EMERGENCY RESPONSE NUMBER: CHEMTREC (800) 424-9300 NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA			Date Prepared: 10/04/04 Prepared By: IB Information Calls: (770) 422-2071			
SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION						
COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)		CAS Number	SARA III LIST	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source **
HYDROTREATED PETROLEUM DISTILLATES		64742-47-8	No	NE	N/E	d
PERCHLOROETHYLENE		127-18-4	Yes	25	25	a,b
ISOBUTANE / PROPANE BLEND		75-28-5	No	800	800	d
		74-98-6	No	1000	1000	d
WARNING: This product contains a chemical or chemicals known to the State of California to cause cancer.						
SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS						
Boiling Point: N/A			Specific Gravity (H ₂ O=1): Concentrate Only = 0.94			
Vapor Pressure: PSIG @ 70°F (Aerosols): 70			Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A			
Vapor Density (Air = 1): greater than 1			Evaporation Rate (water = 1): greater than 1			
Solubility in Water: Insoluble			Water Reactive: No			
Appearance and Odor: Colorless to light straw with light chlorinated - hydrocarbon solvent odor.						
SECTION 3 - FIRE AND EXPLOSION HAZARD DATA						
FLAMMABILITY as per USA FLAME PROJECTION TEST (aerosols) >36" with flashback: EXTREMELY FLAMMABLE		Auto Ignition Temperature N/E		Flammability Limits in Air by % in Volume: % LEL: N/E % UEL: N/E		
FLASH POINT AND METHOD USED (non-aerosols): N/A			EXTINGUISHER MEDIA: Foam, dry chemical, carbon dioxide.			
SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus.						
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.						
SECTION 4 - REACTIVITY HAZARD DATA						
STABILITY <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE			HAZARDOUS POLYMERIZATION <input type="checkbox"/> WILL <input checked="" type="checkbox"/> WILL NOT OCCUR			
Incompatibility (Mat. to avoid): Reactive metals, aluminum, magnesium, potassium, sodium, strong oxidizers, alkalis.			Conditions to Avoid: Open flame, welding arcs, heat, sparks.			
Hazardous Decomposition Products: CO, CO ₂ , phosgene and unidentified organic compounds.						
SECTION 5 - HEALTH HAZARD DATA						
PRIMARY ROUTES OF ENTRY: <input checked="" type="checkbox"/> INHALATION <input checked="" type="checkbox"/> INGESTION <input type="checkbox"/> SKIN ABSORPTION <input type="checkbox"/> EYE <input type="checkbox"/> NOT HAZARDOUS						
ACUTE EFFECTS						
Inhalation: Excessive inhalation of vapors can be harmful and may cause headache, dizziness, asphyxia, anesthetic effects and possible unconsciousness.						
Eye Contact: Moderate irritation.			Skin Contact: Possible irritation due to defatting of skin.			
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.						
CHRONIC EFFECTS: (Effects due to excessive exposure to the raw materials of this mixture) May cause cardiac abnormalities, central nervous system depression, lung, kidney & liver damage. Perchloroethylene has been shown to increase the rate of spontaneously occurring malignant tumors in certain laboratory rats & mice.						
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.						
EMERGENCY FIRST AID PROCEDURES						
Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.						
Skin Contact: Wash with soap and water. Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If irritated, seek medical attention.						
Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.						
Ingestion: DO NOT INDUCE VOMITING. Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.						
SECTION 6 - CONTROL AND PROTECTIVE MEASURES						
Respiratory Protection (specify type): If vapor concentration exceeds TLV, use respirator approved by NIOSH for organic vapor.						
Protective Gloves: Neoprene gloves recommended.			Eye Protection: Goggles, face shield or safety glasses recommended.			
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.						
Other Protective Clothing & Equipment: None						
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.						
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE						
Steps To Be Taken If Material Is Spilled Or Released: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Absorb with suitable medium. Incinerate or landfill according to local, state or federal regulations. DO NOT FLUSH TO SEWER.						
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard. Do Not Puncture or Incinerate! IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.						
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F. Store in a cool, dry area away from heat or open flame.						
Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid contact with eyes or clothing. Avoid breathing spray mist and vapors. Remove ignition sources.						

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

** Chemical Listed as Carcinogen or Potential Carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data

THIS MSDS IS CURRENT AS OF April 30, 2010. The DATE PREPARED section is the original date assembled and remains current until a change is necessary. This is tracked internally at the manufacturer by these date codes and therefore must remain as the originating date.