

MOWING INFORMATION

For optimum results, spray ILLOXAN 3 EC Herbicide when maximum leaf area is present. Avoid mowing treated areas for at least 36 hours to allow time for penetration into the grass weed. ILLOXAN 3 EC Herbicide is most effective on closely mowed, but not less than 5/16 inch cutting height, goosegrass. The control of goosegrass in higher mowed turf such as in "rough" areas is less effective. The effectiveness of ILLOXAN 3 EC Herbicide is reduced when grass clippings interfere with thorough spray coverage of the target weed.

TIME OF APPLICATION AND RATE CHART			
Grassy Weed	Stage of Growth	fl oz/1000 ft ²	fl oz/A
Goosegrass	1 – 3 leaf	0.75	32.6
	3 – 4 leaf	0.90	39.1
	4 Leaf – 1 Tiller	1.00	43.5

SPECIAL NOTES

- Avoid application to turfgrass under drought stress or stress from insects, diseases or nematodes.
- Rainfall or irrigation within 1 hour of application may cause a reduction in grass control, excessive runoff or leaching. Do not apply if rainfall is expected within 1 hour after application or do not irrigate until spray deposit is dry.
- Do not tank mix ILLOXAN 3 EC Herbicide with any other pesticide or liquid fertilizer as reduced goosegrass control may occur.
- Do not overseed treated area for at least 2 months from time of application.
- Apply ILLOXAN 3 EC Herbicide only to established (stolons 4 inches in length) bermudagrass turf.
- DO NOT apply ILLOXAN 3 EC Herbicide through any type of irrigation system.
- ILLOXAN 3 EC Herbicide can be applied as a broadcast and/or spot treatment application. Do not use more than one (1) fluid ounce per 1,000 square feet (43.5 fl.oz./A) per application and not more than a total of 1.5 fluid ounces per 1,000 square feet (65.3 fl. Oz./A) per year.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

Bayer (reg'd), the Bayer Cross (reg'd), Illoxan® and Backed by Bayer™ are trademarks of Bayer.



Produced for:
Bayer Environmental Science
 A Division of Bayer CropScience LP
 2 T. W. Alexander Drive
 Research Triangle Park, NC 27709

**RESTRICTED USE PESTICIDE
 DUE TO CARCINOGENICITY IN THE
 LABORATORY MOUSE AND EYE
 IRRITATION***
 For retail sale to and use only by Certified
 Applicators or persons under their direct
 supervision and only for those uses covered
 by the Certified Applicator's certification.

*The Environmental Protection Agency has concluded that diclofop-methyl, the active ingredient in this product, produced tumors in laboratory mice. This effect was not observed in other species tested. The user must read and follow all precautionary statements on this label. Give particular attention to protective clothing requirements.

Net Contents
1 Gallon
 4193635
 4470965C 090817AV1



ILLOXAN®

3EC HERBICIDE

FOR USE ON GOLF COURSES ONLY (Includes Greens, Tees, Fairways, and Closely Mowed Rough Areas)
 For Postemergence Control of Goosegrass (Silver Crabgrass) in Bermudagrass Turf

ACTIVE INGREDIENT:
 diclofop-methyl* 34.7%**
OTHER INGREDIENTS: 65.3%
 Contains petroleum distillates
 * CAS NUMBER 51338-27-3
 **Equivalent to 3.0 pounds of active ingredient per gallon.
 EPA Reg. No. 432-1231

**KEEP OUT OF REACH OF CHILDREN.
 DANGER**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalles.
 (If you do not understand the label, find someone to explain it to you in detail.)

For **MEDICAL** and **TRANSPORTATION** Emergencies ONLY Call
 24 Hours A Day 1-800-334-7577
 For **PRODUCT USE** Information Call 1-800-331-2867

See inside leaflet for complete First Aid Instructions, Precautionary Statements, Directions for Use and Storage and Disposal Instructions.

**BACKED
 by BAYER™**

FIRST AID	
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: May pose an Aspiration hazard and contains petroleum distillates. Probable mucosal damage may contraindicate the use of gastric lavage.	

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Corrosive, causes irreversible eye damage. Do not get in eyes or on clothing. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Wash thoroughly with soap and when after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT

The following protective apparel must be worn during all loading and mixing operations and when applied by ground equipment: Coveralls over long-sleeved shirt and long pants, chemical resistant footwear plus socks, chemical resistant apron and gloves (such as barrier laminate, butyl rubber, nitrile rubber, or Viton, and a respirator with an organic-vapor- removing cartridge prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23c) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an (OV) cartridge or a canister with any N,R,P or HE prefilter.

USER SAFETY REQUIREMENTS

Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not apply when weather conditions favor runoff, leaching or spray drift. Avoid direct application or drift of spray material to water surfaces. Do not apply within 100 feet of any water body including impounded waters, rivers, streams, lakes, or oceans. Do not contaminate arable land and/or water when disposing of equipment washwaters.

Physical and Chemical Hazards

Combustible - Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Do not use or store near heat or open flame. Do not store below 20°F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL INFORMATION

ILLOXAN® 3 EC Herbicide is an emulsifiable concentrate (EC) formulation containing 3 pounds of active ingredient per gallon.

ILLOXAN 3 EC Herbicide will control goosegrass/crowfootgrass/silver crabgrass (*Eleusine indica*) in established bermudagrass (*Cynodon dactylon*) turf.

ILLOXAN 3 EC Herbicide will not control broadleaf weeds or sedges.

ILLOXAN 3 EC Herbicide is absorbed primarily through the foliage. Thorough coverage is important. Visual injury on goose-grass is evident approximately 2 to 3 weeks after application (dependent upon environmental conditions).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of the application. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not allow workers entry into treated areas until spray is dry. Do not allow this product to drift.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. ILLOXAN 3 EC Herbicide can be applied as a broadcast application to all cultivars of bermudagrass turf. Avoid applications to other turf species as severe turf injury may occur.

APPLICATION INFORMATION

ILLOXAN 3 EC Herbicide controls goosegrass that has emerged at the time of application. Young actively growing goosegrass plants are more easily controlled than larger plants. Refer to the application rate and time chart for proper application timing and rates. Avoid applications to turfgrass under stress due to lack of moisture, chemical injury, insects, disease, or temperature extremes.

The addition of a nonionic surfactant at 0.25% by volume may improve the control of goosegrass under less than optimum growing conditions.

PRESSURIZED HYDRAULIC SPRAYER APPLICATION

Apply ILLOXAN 3 EC Herbicide by means of a pressurized hydraulic sprayer using 30 – 60 psi and 0.7 to 1.4 gallons of finished spray per 1000 sq. ft. (30 – 60 gal/A). Thorough spray coverage is essential for optimum results. Flat fan nozzles are recommended.

Applications should be made using a uniform spray pattern with a minimum overlap. Overdosing may result in turf injury.

**RESTRICTED USE PESTICIDE
DUE TO CARCINOGENICITY IN THE
LABORATORY MOUSE AND EYE
IRRITATION***

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

*The Environmental Protection Agency has concluded that diclofop-methyl, the active ingredient in this product, produced tumors in laboratory mice. This effect was not observed in other species tested. The user must read and follow all precautionary statements on this label. Give particular attention to protective clothing requirements.



ILLOXAN®

3EC HERBICIDE

**FOR USE ON GOLF COURSES ONLY (Includes Greens, Tees, Fairways, and Closely Mowed Rough Areas)
For Postemergence Control of Goosegrass (Silver Crabgrass) in Bermudagrass Turf**

ACTIVE INGREDIENT:

diclofop-methyl* 34.7%**

OTHER INGREDIENTS: 65.3%

Contains petroleum distillates

* CAS NUMBER 51338-27-3

**Equivalent to 3.0 pounds of active ingredient per gallon.

EPA Reg. No. 432-1231

**KEEP OUT OF REACH OF CHILDREN.
DANGER**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

For **MEDICAL** and **TRANSPORTATION** Emergencies **ONLY** Call
24 Hours A Day 1-800-334-7577
For **PRODUCT USE** Information Call 1-800-331-2867

See inside leaflet for complete First Aid Instructions, Precautionary Statements, Directions for Use and Storage and Disposal Instructions.

**Net Contents
1 Gallon**

4193635

4470965C 090817AV1

**BACKED
by BAYER™**

FIRST AID

If in Eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none">• Take off contaminated clothing• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none">• Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: May pose an Aspiration hazard and contains petroleum distillates. Probable mucosal damage may contraindicate the use of gastric lavage.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive, causes irreversible eye damage. Do not get in eyes or on clothing. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Wash thoroughly with soap and when after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT

The following protective apparel must be worn during all loading and mixing operations and when applied by ground equipment: Coveralls over long-sleeved shirt and long pants, chemical resistant footwear plus socks, chemical resistant apron and gloves (such as barrier laminate, butyl rubber, nitrile rubber, or Viton), and a respirator with an organic-vapor-removing cartridge prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23c) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an (OV) cartridge or a canister with any N,R,P or HE prefilter.

USER SAFETY REQUIREMENTS

Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not apply when weather conditions favor runoff, leaching or spray drift. Avoid direct application or drift of spray material to water surfaces. Do not apply within 100 feet of any water body including impounded waters, rivers, streams, lakes, or oceans. Do not contaminate arable land and/or water when disposing of equipment washwaters.

Physical and Chemical Hazards

Combustible - Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Do not use or store near heat or open flame. Do not store below 20°F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL INFORMATION

ILLOXAN® 3 EC Herbicide is an emulsifiable concentrate (EC) formulation containing 3 pounds of active ingredient per gallon.

ILLOXAN 3 EC Herbicide will control goosegrass/crowfootgrass/silver crabgrass (*Eleusine indica*) in established bermudagrass (*Cynodon dactylon*) turf.

ILLOXAN 3 EC Herbicide will not control broadleaf weeds or sedges.

ILLOXAN 3 EC Herbicide is absorbed primarily through the foliage. Thorough coverage is important. Visual injury on goose-grass is evident approximately 2 to 3 weeks after application (dependent upon environmental conditions).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This labeling must be in the possession of the user at the time of the application. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not allow workers entry into treated areas until spray is dry. Do not allow this product to drift.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

ILLOXAN 3 EC Herbicide can be applied as a broadcast application to all cultivars of bermudagrass turf. Avoid applications to other turf species as severe turf injury may occur.

APPLICATION INFORMATION

ILLOXAN 3 EC Herbicide controls goosegrass that has emerged at the time of application. Young actively growing goosegrass plants are more easily controlled than larger plants. Refer to the application rate and time chart for proper application timing and rates. Avoid applications to turfgrass under stress due to lack of moisture, chemical injury, insects, disease, or temperature extremes.

The addition of a nonionic surfactant at 0.25% by volume may improve the control of goosegrass under less than optimum growing conditions.

PRESSURIZED HYDRAULIC SPRAYER APPLICATION

Apply ILLOXAN 3 EC Herbicide by means of a pressurized hydraulic sprayer using 30 – 60 psi and 0.7 to 1.4 gallons of finished spray per 1000 sq. ft. (30 – 60 gal/A). Thorough spray coverage is essential for optimum results. Flat fan nozzles are recommended.

Applications should be made using a uniform spray pattern with a minimum overlap. Overdosing may result in turf injury.

MOWING INFORMATION

For optimum results, spray ILLOXAN 3 EC Herbicide when maximum leaf area is present. Avoid mowing treated areas for at least 36 hours to allow time for penetration into the grass weed. ILLOXAN 3 EC Herbicide is most effective on closely mowed, but not less than 5/16 inch cutting height, goosegrass. The control of goosegrass in higher mowed turf such as in "rough" areas is less effective. The effectiveness of ILLOXAN 3 EC Herbicide is reduced when grass clippings interfere with thorough spray coverage of the target weed.

TIME OF APPLICATION AND RATE CHART

Grassy Weed	Stage of Growth	fl oz/1000 ft ²	fl oz/A
Goosegrass	1 – 3 leaf	0.75	32.6
	3 – 4 leaf	0.90	39.1
	4 Leaf – 1 Tiller	1.00	43.5

SPECIAL NOTES

1. Avoid application to turfgrass under drought stress or stress from insects, diseases or nematodes.
2. Rainfall or irrigation within 1 hour of application may cause a reduction in grass control, excessive runoff or leaching. Do not apply if rainfall is expected within 1 hour after application or do not irrigate until spray deposit is dry.
3. Do not tank mix ILLOXAN 3 EC Herbicide with any other pesticide or liquid fertilizer as reduced goosegrass control may occur.
4. Do not overseed treated area for at least 2 months from time of application.
5. Apply ILLOXAN 3 EC Herbicide only to established (stolons 4 inches in length) bermudagrass turf.
6. DO NOT apply ILLOXAN 3 EC Herbicide through any type of irrigation system.
7. ILLOXAN 3 EC Herbicide can be applied as a broadcast and/or spot treatment application. Do not use more than one (1) fluid ounce per 1,000 square feet (43.5 fl.oz./A) per application and not more than a total of 1.5 fluid ounces per 1,000 square feet (65.3 fl. Oz./A) per year.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

Bayer (reg'd), the Bayer Cross (reg'd), Illoxan® and Backed by Bayer™ are trademarks of Bayer.



Produced for:

Bayer Environmental Science

A Division of Bayer CropScience LP

2 T. W. Alexander Drive

Research Triangle Park, NC 27709

5.5"

ILLOXAN[®]**3 EC HERBICIDE**

FOR USE ON GOLF COURSES ONLY (Includes Greens, Tees, Fairways, and Closely Mowed Rough Areas). For Postemergence Control of Goosegrass (Silver Crabgrass) in Bermudagrass Turf

ACTIVE INGREDIENT:

diclofop-methyl* 34.7%**

OTHER INGREDIENTS 65.3%

Contains petroleum distillates

* CAS NUMBER 51338-27-3

**Equivalent to 3.0 pounds of active ingredient per gallon.

EPA Reg. No. 432-1231

KEEP OUT OF REACH OF CHILDREN
DANGER

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

For MEDICAL and TRANSPORTATION Emergencies ONLY
Call 24 Hours A Day 1-800-334-7577

For PRODUCT USE Information Call 1-800-331-2867

FIRST AID

If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on Skin or Clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If Swallowed:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If Inhaled:	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: May pose an Aspiration hazard and contains petroleum distillates. Probable mucosal damage may contraindicate the use of gastric lavage.

Net Contents**1 Gallon****4193635****4470965C 090817AV1**

BACKED
by **BAYER**[™]

RESTRICTED USE PESTICIDE
DUE TO CARCINOGENICITY IN THE LABORATORY MOUSE
AND EYE IRRITATION*

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

*The Environmental Protection Agency has concluded that diclofop-methyl, the active ingredient in this product, produced tumors in laboratory mice. This effect was not observed in other species tested. The user must read and follow all precautionary statements on this label. Give particular attention to protective clothing requirements.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Corrosive, causes irreversible eye damage. Do not get in eyes or on clothing. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Wash thoroughly with soap and when after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Do not apply when weather conditions favor runoff, leaching or spray drift. Avoid direct application or drift of spray material to water surfaces. Do not apply within 100 feet of any water body including impounded waters, rivers, streams, lakes, or oceans. Do not contaminate arable land and/or water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Do not use or store near heat or open flame. Do not store below 20°F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.



Produced for:

Bayer Environmental Science

A Division of Bayer CropScience LP

2 T. W. Alexander Drive

Research Triangle Park, NC 27709

Product of Germany

5"