




Defends your roses against insects, diseases & mites
• 2 tablespoons makes 1 gallon of spray
• For use on roses, flowers, houseplants, ornamental trees
& shrubs, fruits, nuts & vegetables
• For use in & around the home & garden
*



SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENT:		
	+ + f N + + + O II 7	00/
Clarified Hydrophobic Extrac		
OTHER INGREDIENTS:		0%
TOTAL		
TUTAL	IU	U /0

NET CONTENTS ONE PINT (16 FL. OZS. / 473 ML)



BEE HAZARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

- Do not add adjuvants (spreaders, stickers, extenders, etc.) to Natural Guard by ferti+lome® Neem.
- · Stops Powdery Mildew in 24 hours.
- · Shake well before using.
- Kills eggs, larvae and adult insects.
- Prevents and controls Black Spot on Roses, Anthracnose, Rust and Powdery Mildew.
- For optimal performance, do not mix with cold water (less than 45° F)
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted materials or crops prior to root establishment.
- Do not apply to known sensitive plant species, such as Impatiens flowers, Fuchsia flowers, Hibiscus flowers, some Rose flowers, ornamental Olive trees, or some Carnation varieties without prior testing.
- May also be used as a dormant or delayed dormant spray to control overwintering eggs of various insects on fruit and shade trees, shrubs, Roses, and other ornamentals and vegetables. Spray to visibly wet or until all plant surfaces are completely wet.
- As with other oil-based products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.
- . Can be used as a leaf polish on hardy plants.
- Use care on plants with tender tissue. Check for leaf burn in small scale trials prior to use.

FUNGICIDE USE

For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES AND SHRUBS.

APPLICATION INSTRUCTIONS: Natural Guard by ferti-lonme* Neem is an effective fungicide for the prevention and control of various fungal diseases including Powdery Mildew, Black Spot, Downy Mildew, Anthracnose, Rust, Leaf Spot, Botrytis, Needle Rust, Scab, and Flower, Twig, Blight, and Alternaria. As a preventative, apply Natural Guard by ferti-lonme* Neem on a 7 to 14 day schedule until the potential for disease development is no longer present. To control disease already present, apply Natural Guard by ferti-lonme* Neem on a 7 day schedule until disease pressure is eliminated. Then continue spraying on a 14 day schedule to prevent the disease fors reoccurring. To prevent Rust Leaf Spot Diseases. Anthracnose and Scab, begin applications at the first sign of spring budding. To prevent Powdery Mildew, apply in mid-summer or when disease is first detected. Continue applications multi disease pressure is strist.

MIXING INSTRUCTIONS: Natural Guard by ferti-lome[®] Neem at the rate of 2 tablespoons (1fl. o.2) per gallon of water. Thoroughly mix solution, and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution as you spray.

INSECTICIDE/MITICIDE USE

For use on FRUITS, NUTS, VEGETABLES, HERBS, SPICES, ROSES, HOUSEPLANTS, FLOWERS, TREES AND SHRUBS.

APPLICATION INSTRUCTIONS: Apply Natural Guard by ferti-lonme[®] Neam at first sign of Insects/Mites. For control of Aphids, Spider Mites, Scale, Whiteflies, Beetles, Leatroliers, and other insect pests. **Natural Guard by ferti-lonme[®] Neem** is most effective when applied every 7 to 14 days. For heavy insect populations, spray on a 7 day schedule.

MIXING INSTRUCTIONS: Mix Natural Guard by ferti-lome® Neem at the rate of 2 tablespoons (1 fl. o.2) per gallon of water. Thoroughly mix solution, and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution as you spray.

STORAGE AND DISPOSAL

Pesticide Storage: Keep in original container. Store away from direct sunlight, feed, or food stuffs. Keep container tightly sealed when not in use. Keep from freezing.

Pesticide And Container Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY DISCLAIMER

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. SELLER MAKES NO OTHER EXPRESS NOR IMPLIES WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF ANY OTHER EXPRESS OR IMPLIED WARRANTY.

CVPG, 2wc/aning Groups, fac. 230 FM 87 • BONHAM, TEXAS 75418 EPA Reg. No. 70051-2-7401 EPA Est. No. 7401-TX-01 Visit Us. At: www.fertilome.com Product Questions? 855-270-4776

Manufactured By:

Voluntaru

40712-0415-CL



Job 106574