

Syngenta Crop Protection, Inc.
Post Office Box 18300
Greensboro, NC 27419

In Case of Emergency, Call
1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name: **PENNANT MAGNUM** Product No.: A9793D
 EPA Signal Word: Caution
 Active Ingredient(%): s-Metolachlor (83.7%) CAS No.: 87392-12-9
 Chemical Name: Acetamide, 2-chloro-N-(2-ethyl-6-methylphenyl)-N-(2-methoxy-1-methylethyl)-,(S)
 Chemical Class: Chloroacetanilide Herbicide
 EPA Registration Number(s): 100-950 **Section(s) Revised: 2, 3, 8, 13, 15**

2. HAZARDS IDENTIFICATION
Health and Environmental

Harmful if inhaled. May be harmful if swallowed or in contact with skin. May cause sensitization by skin contact. Vapors may cause drowsiness and dizziness.

Hazardous Decomposition Products

May decompose at high temperatures forming toxic gases.

Physical Properties

Appearance: Golden brown liquid
 Odor: Sweet

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Petroleum Solvent	Not Established	Not Established	Not Established	No
1,2,4-Trimethylbenzene (<= 1%)	Not Established	25 ppm TWA	25 ppm TWA **	No
Naphthalene (<= 1%)	10 ppm TWA	10 ppm TWA (skin)	10 ppm TWA **	See "Toxicity", Sec. 11
s-Metolachlor (83.7%)	Not Established	Not Established	10 mg/m ³ TWA ***	No

** recommended by NIOSH

*** Syngenta Occupational Exposure Limit (OEL)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.
 Syngenta Hazard Category: C, S

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons suffering a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

Medical Condition Likely to be Aggravated by Exposure

None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

Flash Point (Test Method): > 200°F (Setaflash)

Flammable Limits (% in Air): Lower: Not Applicable Upper: Not Applicable

Autoignition Temperature: Not Available

Flammability: Not Applicable

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus.

Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

- Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
- Eye Contact: Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
- Skin Contact: Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber or Viton), coveralls, socks and chemical-resistant footwear.
- Inhalation: A combination particulate/ organic vapor respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with an HE prefilter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Golden brown liquid
Odor:	Sweet
Melting Point:	Not Applicable
Boiling Point:	Not Available
Specific Gravity/Density:	1.10 g/cc typical @ 68°F (20°C)
pH:	5 - 7 (1% solution in H ₂ O @ 77°F (25°C))

Solubility in H₂O

s-Metolachlor: 0.48g/l @ 77°F (25°C)

Vapor Pressure

s-Metolachlor: 2.8 x 10⁽⁻⁵⁾ mmHg @ 77°F (25°C)

10. STABILITY AND REACTIVITY

Stability:	Stable under normal use and storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	None known.
Materials to Avoid:	None known.
Hazardous Decomposition Products:	May decompose at high temperatures forming toxic gases.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:	Oral (LD50 Rat) :	3425 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 2000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.61 mg/l air - 4 hours
Eye Contact:	Moderately Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Sensitizing (Guinea Pig)	

Reproductive/Developmental Effects

s-Metolachlor: None observed.

Chronic/Subchronic Toxicity Studies

s-Metolachlor: None observed.

Carcinogenicity

s-Metolachlor: Benign liver tumors at high dose levels (female rats).

Other Toxicity Information

None

Toxicity of Other Components

1,2,4-Trimethylbenzene (<= 1%)

Test results reported in Section 11 for the final product take into account any acute hazards related to the 1,2,4-trimethylbenzene in the formulation.

Naphthalene (<= 1%)

Test results reported in Section 11 for the final product take into account any acute hazards related to the naphthalene in the formulation.

Chronic overexposure to naphthalene can affect the liver, kidney, respiratory tract and blood.

Carcinogen Status:

NTP: Anticipated Carcinogen

IARC: Group 2B Possible Human Carcinogen

Petroleum Solvent

May cause irritation to the eyes, skin and respiratory system. Excessive inhalation causes headache, dizziness, nausea and loss of motor skills.

Target Organs

Active Ingredients

s-Metolachlor: Liver

Inert Ingredients

1,2,4-Trimethylbenzene: Not Applicable

Naphthalene: Liver, kidney, respiratory tract, blood

Petroleum Solvent: Eye, skin, respiratory system, central nervous system

12. ECOLOGICAL INFORMATION

Summary of Effects

s-Metolachlor:

Very toxic to aquatic life.

Ecotoxicity Effects

s-Metolachlor:

Fish (Rainbow Trout) 96-hour LC50 11.9 ppm

Green Algae 5-day EC50 0.008 ppm

Bird (Bobwhite Quail) LD50 Oral > 2510 mg/kg

Invertebrate (Water Flea) 48-hour EC50 26 ppm

Environmental Fate

s-Metolachlor:

The information presented here is for the active ingredient, s-metolachlor.

Low bioaccumulation potential. Not persistent in soil. Stable in water. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Contains Naphthalene U165

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA

Packages < 2500 gal. - Not regulated.

Packages > 2500 gal.

Proper Shipping Name: RQ Other Regulated Substances, Liquid, N.O.S. (Naphthalene)

Hazard Class or Division: Class 9

Identification Number: NA 3082

Packing Group: PG III

Air Transport - NAFTA

Packages < 2500 gal. - Not regulated.

B/L Freight Classification

Herbicides, NOI (NMC Class 60)

Comments

Water Transport - International

Proper Shipping Name:

< 2500 gal.

Environmentally Hazardous Substance, Liquid, N.O.S. (s-Metolachlor), Marine Pollutant

> 2500 gal.

RQ Environmentally Hazardous Substance, Liquid, N.O.S. (s-Metolachlor, Naphthalene), Marine Pollutant

Hazard Class or Division: Class 9

Identification Number: UN 3082

Packing Group: PG III

IMDG EMS #: F-A, S-F

Air Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (s-Metolachlor)

Hazard Class or Division: Class 9

Identification Number: UN 3082

Packing Group: PG III

Packing Auth.: 914 Special Provision A97

Note: Max. inner package: plastic - 5 liters, metal - 10 liters

Max. single package: 450 liters

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard
Chronic Health Hazard

Section 313 Toxic Chemicals: 1,2,4-Trimethylbenzene (<= 1%) (CAS No. 95-63-6)
Naphthalene (<= 1%) (CAS No. 91-20-3)

California Proposition 65

Not Applicable

CERCLA/SARA 302 Reportable Quantity (RQ)

Report product spills > 2,500 gal. (based on naphthalene [RQ = 100 lbs.] content in the formulation)

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
Flammability: 1
Instability: 0

HMIS Hazard Ratings

Health: 2
Flammability: 1
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 3/30/1998

Revision Date: 8/4/2008

Replaces: 3/1/2006

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

End of MSDS