

1. Product and Company Identification

Product Name	SENTRY Fiproguard Flea & Tick Spray for Dogs & Cats
Synonym(s)	EPA # 87093-1-2517
CAS #	Mixture
Product use	Flea and tick control
Manufacturer	Sergeant's Pet Care Products, Inc. 10077 South 134th Street Omaha, NE 68138-3710 US Phone: 1-800-224-7387 Emergency Phone: 1-800-781-4738
CHEMTREC	1-800-424-9300

2. Hazards Identification

Emergency overview	DANGER EXTREMELY FLAMMABLE LIQUID AND VAPOR. Contents under pressure. Containers may explode when heated. Harmful if absorbed through skin, if swallowed or if inhaled. Causes moderate eye irritation.
Potential short term health effects	
Routes of exposure	Eye, Skin contact, Skin absorption, Inhalation, Ingestion.
Eyes Skin	Causes moderate eye irritation.
Inhalation	Harmful if absorbed through skin.
Ingestion	Harmful if inhaled.
Target organs	Harmful if swallowed. May cause stomach distress, nausea or vomiting. Skin. Respiratory system. Eyes.
Chronic effects	Prolonged or repeated exposure can cause drying, defatting and dermatitis.
Signs and symptoms	Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
OSHA Regulatory Status	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Potential environmental effects	See section 12.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Isopropanol	67-63-0	90 - 100
Diethylene glycol monoethyl ether	111-90-0	2.5 - 10
Butylated hydroxyanisole	25013-16-5	0.1 - 1
Fipronil	120068-37-3	0.1 - 1

4. First Aid Measures

First aid procedures	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Obtain medical attention if irritation develops or persists.
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Ingestion

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

General advice

Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties	Extremely Flammable by OSHA criteria. Vapors may travel to a source of ignition and flash back.
Extinguishing media	
Suitable extinguishing media	Carbon dioxide. Alcohol foam. Dry chemical.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.
Methods for containment	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above and use appropriate personal protective equipment (PPE). Never return spills in original containers for re-use. Small Spills: Absorb with non-reactive absorbent and place in suitable, covered, labeled containers. Large Spills: Wet down with water and dike for later disposal. After removal flush contaminated area thoroughly with water. Contact emergency services and supplier for advice.

7. Handling and Storage

Handling	Use good industrial hygiene practices in handling this material. Avoid contact with eyes, skin and clothing. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Use only with adequate ventilation. Avoid breathing vapors or mists of this product. Wash thoroughly after handling.
Storage	Store in a cool dry place inaccessible to children and pets. Keep away from fire, sparks, heated surfaces or other sources of ignition. Do not store at temperatures above 120°F (49°C).

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Butylated hydroxyanisole	ACGIH-TLV Not established OSHA-PEL Not established
Diethylene glycol monoethyl ether	ACGIH-TLV TWA: 25 ppm OSHA-PEL Not established
Fipronil	ACGIH-TLV Not established OSHA-PEL Not established
Isopropanol	ACGIH-TLV TWA: 200 ppm STEL: 400 ppm OSHA-PEL TWA: 400 ppm

Engineering controls	General ventilation normally adequate.
Personal protective equipment	
Eye / face protection	Safety glasses if eye contact is possible.
Hand protection	Rubber gloves. Confirm with a reputable supplier first.
Skin and body protection	As required by employer code.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Clear, Non viscous
Color	Colorless
Form	Liquid
Odor	Alcoholic.
Odor threshold	Not available
Physical state	Liquid
pH	6.3
Freezing point	Not available
Boiling point	Not available
Pour point	Not available
Evaporation rate	Not available
Flash point	53 °F (11.66 °C)
Auto-ignition temperature	Not available
Flammability limits in air, lower, % by volume	Not available
Flammability limits in air, upper, % by volume	Not available
Vapor pressure	Not available
Vapor density	Not available
Specific gravity	Not available

Relative density	0.789 g/mL (6.59 lb/gal)
Octanol/water coefficient	Not available
Solubility (H2O)	Non soluble
Viscosity	2.29 mPa.s

10. Stability and Reactivity

Reactivity	None known.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Butylated hydroxyanisole	Not available
Diethylene glycol monoethyl ether	5240.0001 mg/l/4h rat
Fipronil	0.68 mg/l/4h rat
Isopropanol	16970 mg/l/4h rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Butylated hydroxyanisole	2000 mg/kg rat
Diethylene glycol monoethyl ether	5500 mg/kg rat
Fipronil	100 mg/kg rat
Isopropanol	4396 mg/kg rat

Effects of acute exposure

Eye	Causes moderate eye irritation.
Skin	Harmful if absorbed through skin.
Inhalation	Harmful if inhaled.
Ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
Sensitization	Non-hazardous by OSHA criteria.
Chronic effects	Non-hazardous by OSHA criteria.
Carcinogenicity	Contains a potential carcinogen.

ACGIH - Threshold Limit Values - Carcinogens

Isopropanol 67-63-0 A4 - Not Classifiable as a Human Carcinogen

IARC - Group 2B (Possibly Carcinogenic to Humans)

Butylated hydroxyanisole 25013-16-5 Supplement 7 [1987]; Monograph 40 [1986]

IARC - Group 3 (Not Classifiable)

Isopropanol 67-63-0 Monograph 71 [1999]; Supplement 7 [1987]; Monograph 15 [1977]

NTP (National Toxicology Program) - Report on Carcinogens - Reasonably Anticipated to be Human Carcinogens

Butylated hydroxyanisole 25013-16-5 Reasonably Anticipated To Be A Human Carcinogen

U.S. - California - Proposition 65 - Carcinogens List

Butylated hydroxyanisole 25013-16-5 carcinogen, initial date 1/1/90

Mutagenicity	Non-hazardous by OSHA criteria.
Reproductive effects	Non-hazardous by OSHA criteria.
Teratogenicity	Non-hazardous by OSHA criteria.
Name of Toxicologically Synergistic Products	Not available

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental concerns.

Ecotoxicity - Freshwater Algae - Acute Toxicity Data

Isopropanol 67-63-0 96 Hr EC50 *Desmodesmus subspicatus*: >1000 mg/L; 72 Hr EC50 *Desmodesmus subspicatus*: >1000 mg/L

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Diethylene glycol monoethyl ether 111-90-0 96 Hr LC50 *Oncorhynchus mykiss*: 11400-15700 mg/L [flow-through]; 96 Hr LC50 *Pimephales promelas*: 11600-16700 mg/L [flow-through]; 96 Hr LC50 *Lepomis macrochirus*: 10000 mg/L [static]; 96 Hr LC50 *Lepomis macrochirus*: 19100-23900 mg/L [flow-through]; 96 Hr LC50 *Salmo gairdneri*: 13400 mg/L [flow-through]

Isopropanol 67-63-0 96 Hr LC50 *Pimephales promelas*: 9640 mg/L [flow-through]; 96 Hr LC50 *Pimephales promelas*: 11130 mg/L [static]; 96 Hr LC50 *Lepomis macrochirus*: >1400000 µg/L

Ecotoxicity - Water Flea - Acute Toxicity Data

Diethylene glycol monoethyl ether 111-90-0 48 Hr EC50 *Daphnia magna*: 3940 - 4670 mg/L

Isopropanol 67-63-0 48 Hr EC50 *Daphnia magna*: 13299 mg/L

Persistence / degradability Not available
Bioaccumulation / accumulation Not available
Mobility in environmental media Not available
Environmental effects Not available
Aquatic toxicity Not available
Partition coefficient Not available
Chemical fate information Not available

13. Disposal Considerations

Disposal instructions Review federal, state and local government requirements prior to disposal. Typically municipal landfill will be appropriate. Do not reuse or refill this container.

Waste from residues / unused products Review federal, state and local government requirements prior to disposal.

Contaminated packaging Review federal, state and local government requirements prior to disposal.

14. Transport Information

U.S. Department of Transportation (DOT)
Basic shipping requirements:

Option 1)

Proper shipping name Consumer commodity
Hazard class 9
UN number ID8000

Additional information:

Special provisions 156, 167, 306
Limited quantity 1L
Excepted quantity N/A

Option 2)

Proper shipping name AEROSOLS, Flammable, Limited Quantity
Hazard class 2.1
UN number 1950


Additional information:

Special provisions N82, 306
Limited quantity 1L
Excepted quantity N/A

Package Labels



OR



IMDG (Marine Transport)**Basic shipping requirements:**

Proper shipping name AEROSOLS, Flammable, Limited Quantity

Hazard class 2.1

UN number 1950

Additional information:

Special provisions 63,190,277,327,959

Limited quantity 1L

Excepted quantity E0

Stowage location Cat A

**IATA/ICAO (Air)****Basic shipping requirements:**

Proper shipping name Consumer commodity

Hazard class 9


UN number ID8000

Additional information:

Special provisions A112

Excepted quantity E0

Limited quantity passenger/cargo aircraft 30 kg gross



15. Regulatory Information

Occupational Safety and Health Administration (OSHA)**US Federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Isopropanol	67-63-0	1.0 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)
-------------	---------	--

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

- Immediate Hazard - Yes
- Delayed Hazard - Yes
- Fire Hazard - Yes
- Pressure Hazard - Yes
- Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations

WARNING: This product contains a chemical known to the State of California to cause cancer.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Butylated hydroxyanisole	25013-16-5	Present
Isopropanol	67-63-0	Present

U.S. - California - Proposition 65 - Carcinogens List

Butylated hydroxyanisole	25013-16-5	carcinogen, initial date 1/1/90
--------------------------	------------	---------------------------------

U.S. - Illinois - Toxic Air Contaminant Carcinogens

Butylated hydroxyanisole	25013-16-5	IARC 2B Carcinogen; NTP Anticipated Carcinogen
--------------------------	------------	--

U.S. - Massachusetts - Right To Know List

Butylated hydroxyanisole	25013-16-5	Carcinogen; Extraordinarily hazardous
Isopropanol	67-63-0	Present

U.S. - Minnesota - Hazardous Substance List

Butylated hydroxyanisole	25013-16-5	Carcinogen
Diethylene glycol monoethyl ether	111-90-0	Present
Isopropanol	67-63-0	Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Butylated hydroxyanisole	25013-16-5	sn 3563
Isopropanol	67-63-0	sn 1076

U.S. - Pennsylvania - RTK (Right to Know) List

Isopropanol	67-63-0	Environmental hazard
-------------	---------	----------------------

U.S. - Rhode Island - Hazardous Substance List

Isopropanol	67-63-0	Toxic; Flammable
-------------	---------	------------------

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND HMIS	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 1
Flammability	4
Physical Hazard	0
Personal Protection	X

Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

29-Jun-2012

Effective date

15-Jun-2012

Prepared by

Dell Tech Laboratories Ltd. (519) 858-5021

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.

Revision date
Sections revised
Supersedes MSDS dated