

P270: Do not eat, drink or smoke when using this product. P280: Wear protective gloves, clothing, eye protection, face

protection.

SAFETY DATA SHEET (SDS)

TerraCyte® PRO

Form #:	SDS-131
FOITH #.	3D3-131
Revision Date:	10/07/2019
Revision #:	03
Supersedes Date:	04/01/2015

Section 1: Identification			
Product Name:	TerraCyte® PRO	Product Type / Description: Algaecide / Fungicide	
Recommended Use:	Algaecide / Fungicide	Other Means of Identification:	Sodium Carbonate Peroxyhydrate, Sodium Percarbonate
Use Restrictions:	It is a violation of federal law to use this product in a manner inconsistent with its labeling.	Chemical Formula:	2Na ₂ CO ₃ + 3H ₂ O
Manufacturer:	BioSafe Systems, LLC 22 Meadow Street East Hartford, CT 06108	06108 EPA Registration #: 70299-15	
Telephone Number:	1-888-273-3088	Emergency Number: 1-800-424-9300 (CHEMTREC)	

Number: 1-888-273-3088	Emergency Number: 1-800-424-9300 (CHEMTREC)	
Section 2: F	Hazard Identification	
GHS Classification	Hazard Statements	
Oxidizing Solid: Category 2	H272: May intensify fire; oxidizer.	
Acute Toxicity	H302: Harmful if swallowed.	
Oral: Category 4	H318: Causes serious eye damage.	
Serious Eye Damage/Eye Irritation: Category 1A		
Pictograms	Signal Word	
Precauti	DANGER stionary Statements	
General	Response	
P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use.	•	
Prevention	Storage / Disposal	
P221: Take any precautions to avoid mixing with combustibles. P264: Wash skin thoroughly after handling.	P420: Store away from incompatible materials.	

	Section 3: Composition / Information on Ingredients			
	Components CAS-No % Composition (w/w)			
ĺ	Sodium Carbonate Peroxyhydrate 15630-89-4 85.0%			

P501: Dispose of contents/container in accordance with

local/regional/national/international regulations.

	Section 4: First-Aid Measures		
Eye	Eye Hold eye(s) open and rinse cautiously with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then		
Contact:	Contact: continue rinsing eye(s). Call a poison control center or doctor for treatment advice.		
Skin	Skin Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor		
Contact:	Contact: for treatment advice if irritation persists.		
Ingestion:	on: Call poison control center or doctor immediately for treatment advice. Rinse mouth with water. Do not induce vomiting unless told to do		
	so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.		
Inhalation:	Move person to fresh air. If person is not breathing, call 911. Call poison control center or doctor for treatment advice.		
Notes to	Notes to Material is corrosive and probable mucosal damage may contraindicate the use of gastric lavage.		
Physician:			



SAFETY DATA SHEET (SDS)

TerraCyte® PRO

Form #:	SDS-131
Revision Date:	10/07/2019
Revision #:	03
Supersedes Date:	04/01/2015

Section 5: Fire-Fighting Measures		
Suitable Extinguishing Media: Water or water spray.		Water or water spray.
Unsuitable E	Unsuitable Extinguishing Media: None.	
Co	Combustion Products: Carbon monoxide, carbon dioxide, oxygen.	
Unusual Fire and Explosion Hazards: Oxidizing substance, exothermic decomposition releases oxygen, may support combustion.		
Protective	Full chemical protection suits and boots (rubber or PVC) and self-contained breathing apparatus. Cordon the area to keep out all	
Equipment for	unnecessary personnel. Keep upwind. Use large quantities of water spray to fight fire. Cool containers / tanks with water spray. If	
Firefighters:	safe to do, move product away from fire to secure area. Eliminate all possible sources of ignition and remove flammable material.	

Section 6: Accidental Release Measures			
Personal Precautions:	Personal Precautions: Work to prevent dust cloud formation. No open flames in area. Wear protective clothing and glasses.		
Emergency Procedures:	Emergency Procedures: Ensure clean-up is conducted by trained personnel. Personnel should wear appropriate protective equipment. Remove		
	all sources of ignition. If facing concentrations above exposure limits personnel shall wear certified respirators.		
Environmental Precautions:	Environmental Precautions: Prevent undiluted spillage from entering sewers, basements or watercourses.		
Methods and Material for	Sweep up to prevent slipping hazards. Place spilled material into a suitable container using protective clothing, avoid		
Containment and Clean-Up:	dust cloud formation. After removing material, clean affected area/surfaces with an excess of water.		

Section 7: Handling and Storage				
Handling:	Handling: Avoid creating dust. Keep away from open flames/heat. Keep container closed tightly when not in use. Wear safe clothing and eye			
	protection. Never return unused product to original storage container.			
Storage:	rage: Keep container closed tightly in storage. Store in a dry location and out of direct sunlight. Store separately from incompatible materials.			
	Store at temperatures less than 40°C (104°F).			
Incompatibl	Incompatible Materials: Oxidizing agents (strong acids/bases), metals, organic materials, water/moisture.			
Compatible	Compatible Materials: Stainless Steel, Polyethylene, Paper with PE coating			

Section 8: Exposure Controls / Personal Protection					
Components with Workplace Control Parameters					
Component ACGIH NIOSH OSHA					
Sodium Carbonate Peroxyhydra	te NA	NA	NA		
Engineering Controls:	Avoid raising dust, Keep away from flames/heat. General room ventilation is required, maintain adequate ventilation. Emergency eye wash station should be in close proximity.				
General Hygienic Practices:	Do not eat, drink or smoke during use. Wash hands with soap and water after use.				
Personal Protective Equipment					
Respiratory Protection:	Respiratory Protection: For most conditions, no respiratory protection should be needed. For excessive dust condition: dust mask or NIOSH approved particulate respirator.				
Eye / Face Protection:	Chemical goggles or face shield.				
Hand Protection:	: Chemical resistant gloves.				
Skin / Body Protection:	tion: Wear suitable protective clothing. Apron and boots made of butyl rubber for high risk exposure.				

Section 9: Physical and Chemical Properties						
Appearance:	White, granular solid.	Odor:	Odorless.	Odorless.		NA
Physical State:	Powder.	pH:	10.4 – 10.6 in 3% solution	on.	Specific Gravity:	$0.9 - 1.2 \text{ g/cm}^3$
Melting Point:	NA	Freezing Point:	NA		Boiling Point:	NA
Flash Point:	NA	Flammability:	NA		Flammability Limits:	NA
Vapor Pressure:	NA	Vapor Density:	NA		Solubility:	140 g/L at 20°C (68°F)
Evaporation	NA	Auto-Ignition	NA		Decomposition	SADT > 55°C (131°F)
Rate:	INA	Temperature:	2: NA		Temperature:	3AU1 > 33 C (131 F)
Relative Density:	950-1200 kg/m ³	Partition Coefficient n-octanol / water: NA		Viscosity:	NA	

Section 10: Stability and Reactivity		
Reactivity: Decomposes when moist or when heated. Potential for exothermic hazard.		
Stability: Stable under recommended storage conditions.		
Conditions to Avoid: Heat/heat sources and moisture.		
Incompatible Materials: Water, strong acids/bases, salts of heavy metals, organic materials, reducing agents, flammables, combustib		
Hazardous Decomposition Products:	Thermal decomposition generates carbon dioxide and oxygen which supports combustion.	



SAFETY DATA SHEET (SDS)

TerraCyte® PRO

Form #:	SDS-131
Revision Date:	10/07/2019
Revision #:	03
Supersedes Date:	04/01/2015

Section 11: Toxicological Information								
Acute Toxicological Data								
Oral LD50 Rat:	1034 mg/kg	Dermal LD50 Rabbit:	>2000 mg/	kg	Inhalation LC50 Rat:	1 hr -> 4580 mg/m ³		
Symptoms and Effects								
Condition	Acute Effects			Chronic (Delayed) Effects				
Eye Contact:	Causes serious eye damage.			None.				
Skin Contact:	May cause skin irritation.			None.				
Inhalation:	May cause respiratory tract irritation.			None.				
Ingestion:	ion: Harmful if swallowed.							

Section 12: Ecological Information						
Duration		n	Species	Value		
Ecotoxicity:	Ecotoxicity: 96 hr LC50		Pimephales promelas (fathead minnow)	71 mg/L		
	96 hr EC5	50	Daphnia pulex (water flea)	4.9 mg/L		
Persistence and	Persistence and Degradability: Biodegrades rapidly into water and oxygen.					
Bioaccumul	mulative Potential: Does not bioaccumulate.					
Γ	Mobility in Soil:	Non-significant adsorption in soil.				
Results	esults of PBT & vPvB: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).					
Other A	Adverse Effects:	None known.				

Section 13: Disposal Considerations				
Waste from Residues and Unused Product:	Dispose of waste material in accordance with all local, regional, national, provincial, territorial and			
	international regulations.			
Contaminated Container Disposal:	Do not reuse or refill containers. Triple rinse empty containers with clean water. Clean and empty			
containers should be taken to an approved waste handling site for recycling or disposal.				

	Section 14: Transport Information								
UN N	umber		UN Proper Shipping Name	Hazard Class (Subsidiary)	Packing Group	IATA	Marine Pollutant		
DOT	3378		Sodium Carbonate Peroxyhydrate	5.1	II	Permitted for			
TDG	3378		Sodium Carbonate Peroxyhydrate	5.1	II	shipment by			
IMDG	3378		Sodium Carbonate Peroxyhydrate	5.1		air. (25kg)	No		
	Special I	Precautions:	Vented containers						
	Shippi	ng Placards:	OXIDIZER						

			Section 15: Regulatory Informa	ation				
TSCA Inventory List US EPA CERCLA Hazardous Substances					Clean	Clean Water Act		
Sodium Carbonate P	eroxyhydrate	Yes	Sodium Carbonate Peroxyhydrate	NA	NA			
			SARA Title III					
	Sec. 302 Sec 304 Sec 311 / Sec 312 Hazard Category TPQ. RQ.					Clean Air Act Threshold Qty.		
Sodium Carbonate Peroxyhydrate	NA	NA	Physical: Oxid Health: Acute Toxicity; Serious Eye	NA tion	NA			
California Prop 65	This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.							
FIFRA	requirement classification for workplace	This product is a registered pesticide with the United States Environmental Protection Agency and is subject to EPA labeling requirements under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). These requirements may differ from the classification criteria and hazard information required for a safety data sheet under the Global Harmonized Systems (GHS), and for workplace labels of non-pesticide chemicals. It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Always refer to product label for further precautionary information and use directions.						



SAFETY DATA SHEET (SDS)

TerraCyte® PRO

Form #:	SDS-131
Revision Date:	10/07/2019
Revision #:	03
Supersedes Date:	04/01/2015

Section 16: Other Information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

To the extent of our knowledge, the information herein is accurate as of the date of this document. However, neither BioSafe Systems nor any of its affiliates make any warranty, expressed or implied, or accept any liability relating to the information or its use. The information is for use by technically skilled persons at their own discretion and risk. This is not a license or a patent. The user alone must finally determine suitability of any information or material for any contemplated use, the manner or use and whether any patents are infringed. Always read and follow label directions.

For additional information, call us toll-free at 1.888.273.3088 or visit www.biosafesystems.com © 2019 BioSafe Systems, LLC.

Bi ⇔ Safe Systems

•								
NFPA 704 Rating	Health:	2	Flammability:	0	Reactivity:	1	Special:	OX (Oxidizer)
HMIS Rating	Health:	2	Flammability:	0	Physical:	1	PPE:	Recommended.
Uniform Fire Code (N	Oxidizer	: Class 2, Solid.						