

# **TOMATO & VEGETABLE READY TO SPRAY**

**CONTROLS A WIDE RANGE OF FUNGAL DISEASES AND  
INSECTS ON LISTED FRUIT, NUTS, CITRUS, VEGETABLES,  
ORNAMENTALS, HOUSEPLANTS AND LAWNS.**

**USE UP TO DAY BEFORE HARVEST**

**INSECTICIDE/FUNGICIDE/MITICIDE**

**CONTACT KILLER FOR LISTED INSECT AND MITE  
PESTS**

Manufactured under a license of W. Neudorff  
GmbH KG, Germany.



EPA Est. No. 4-NY-1

EPA Reg. No. 67702-17-4

©Bonide Products, Inc. All Rights Reserved

Distributed by  
Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424

## DIRECTIONS FOR USE

*It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.*

Shake well before using.

### FOR CONTROL OF FUNGAL DISEASES

Thoroughly spray all areas of the plant, especially new shoots. For best control apply as a protective spray early in the season before the diseases are noticed. Re-spray every 7 to 10 days or after rain. May be used up to day before harvest.

### FOR CONTROL OF INSECTS/MITES

Thoroughly spray all areas of the plant, especially new shoots and the underside of leaves. Pests need to be contacted by the spray to be controlled.

### DIRECTIONS FOR USE WITH 'TWIST & SHOOT' HOSE END SPRAYER

1. Make sure knob control is in the 'OFF' position. Shake well and attach to garden hose.
2. Turn water on at faucet. When spraying low growing plants and small shrubs, twist the control knob right, to the "FAN" position. When spraying taller trees, shrubs and other plants, twist the control knob left to the "STREAM" position for extended reach and more uniform coverage. The product mixes automatically with the water as you spray.
3. To stop spraying, turn knob lever to the "OFF" position. Turn water off at faucet and disconnect sprayer from garden hose.

USE SITE - INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
VEGETABLE AND VINE PLANTS such as: beans, beets, blackberries, blueberries, broccoli, brussel sprouts, cabbage, carrots, cauliflower, corn, cucurbits (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	powdery mildew, rust, blight, leaf spots

USE SITE - INDOOR, OUTDOOR AND GREENHOUSE	PEST	DISEASE
ORNAMENTALS such as: flowering plants and shrubs, woody ornamentals, roses, trees and houseplants	aphids, mites, spider mites, leafhoppers, caterpillars, roseslugs, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, lacebugs, earwigs	powdery mildew, rust, blight, blackspot, leaf spots
FRUIT AND NUT TREES such as: almond, apple, avocados, cherry, citrus (such as oranges, grapefruit, lemon, limes, citron, kumquat), filbert, nectarine, peach, pear, pecans, pistachios, plum, prune, walnut	aphids, mites, spider mites, leafhoppers, caterpillars, whiteflies, spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs	scab, powdery mildew, rust, blight, brown rot
LAWNS	aphids, mites, spider mites, leafhoppers, caterpillars, spittlebugs, thrips, chiggers, earwigs	rust, leaf spot, blight, powdery mildew

For use only on home lawns and gardens. Not for use on agricultural establishments growing agricultural crops or commodities for resale.

### USE PRECAUTIONS

- Do not use if temperatures are expected to be over 90°F.
- Do not spray plants with this product within 21 days of an oil spray.
- Some varieties of grapes and cucurbits are sensitive to sulfur and some plant damage may occur.
- Use care or do not spray on sulfur sensitive plants. If not sure, test spray a few leaves 2 days before spraying the entire plant.
- Do not apply to strawberry fruit that will be used for canning.

## STORAGE AND DISPOSAL

Store at room temperature and protect from freezing.

### CONTAINER DISPOSAL:

**If empty:** Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## FIRST AID

<b>IF IN EYES</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. <u>Call a poison control center or doctor for treatment advice.</u>
<b>IF ON SKIN OR CLOTHING</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. <u>Call a poison control center or doctor for treatment advice.</u>

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

### ENVIRONMENTAL HAZARDS

This product may be hazardous to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather or when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

### PHYSICAL OR CHEMICAL HAZARDS

**Combustible.** Do not use or store near heat or open flame.

Buyer assumes all responsibility for safety and use not in accordance with directions.