

\$5.95

AmeriVap™ Systems

**Clean and Sanitize
Using Low Pressure, High Temperature
Dry Steam Vapor**



VAPORBLITZ™

User's Guide

AmeriVap™ Systems

31 Successful Way • Dawsonville, Georgia 30534

Local Phone: 404.350-0239 • Fax: 404.350.9214

Toll Free: 800.763.7687

Email: info@amerivap.com • www.amerivap.com

AmeriVap™ Systems

One Step Cleaning Technology



Vapor Blitz I (4 Quarts)



Vapor Blitz II (3 Quarts)



Steamax Residential Unit (2 Quarts)

Products are consistently improved and redesigned.
Picture may not reflect actual product received.

We are furnishing you this care manual along with the instructional DVD in order for you to get the optimal results from the Vapor Blitz.

For any further technical questions or to order additional attachments, please call AmeriVap™ at 1-800-763-7687.



PLEASE READ
ALL PRECAUTIONS
AND INSTRUCTIONS
THOROUGHLY BEFORE USE!

SAFETY
FIRST


OPERATIONAL PRECAUTIONS

Use your Vapor Blitz dry steam cleaner with caution on surfaces that are not heat-resistant. Steam is delivered at the tip of the nozzle at 220° F. Prolonged contact at that temperature may melt or burn any non heat-resistant surface. *This includes your person, so use common sense.*

- Fill the tank with tap water only. Never use chemicals, soaps, DI water, distilled water, bottled water or air fresheners in your Vapor Blitz II. **Evidence of anything except tap water in tank voids warranty. Do not turn on the unit without tap water in the tank.**
- If an extension cord is needed, use a heavy-duty 12-gauge extension cord with a maximum length of 25 feet. Anything smaller in gauge or longer in length will not provide the adequate power supply needed for full steam performance.
- Always switch the unit off before unplugging the power cord.
- Do not immerse unit in water.
- Do not freeze. Leaving your unheated Vapor Blitz outside in freezing weather with water in it could burst the tank as the ice expands. Feel free to use it outside in cold weather, but bring it inside when you are finished.
- DO NOT unplug the Vapor Blitz until the main power switch is turned off. Failure to do so may cause a power surge to the electronic boards when the machine is turned back on and may result in a shortage.
- Unplugging the Vapor Blitz before turning off the main power switch **VOIDS** all warranties.

Remember to Call
AMERIVAP™ SYSTEMS
at 1.800.763.7687
For Any Technical Questions.

- Move rapidly when cleaning wood surfaces — double wrap your brush, use low setting (45 psi) or medium setting (55 psi) and move quickly. Do not deliver the steam to one spot for too long, as varnish and paint will melt.
- Some vinyl blinds and vinyl window frames will warp when touched directly with a brush — use a quick spray and wipe method.
- When cleaning leather, move rapidly. Use a double wrapped brush on low setting (45 psi) or simply spray and wipe. We recommend that a leather moisturizer be used after cleaning.
- Be careful when cleaning velvet, silk or suede, as damage to the nap may occur.

**FILLING AND HEATING INSTRUCTIONS****VAPORBLITZ II**

- Unscrew pressure cap and remove to fill reservoir with water. *(To remove pressure cap, use thumb to press down on hole. Press down and turn cap to the right, similar to a prescription bottle.)*



- Use filler bottle to easily fill the tank by pressing the filler bottle cap into the tank opening. When the tank is full, the bottle will automatically stop releasing water into the tank.



- Replace cap and tighten to finger tight.
- Power the unit ON by toggling the MAIN switch to the right. (This switch is found on the front of the unit, underneath the top shell.)



- Toggle the HEATER switch to the right or position II. (This switch is found on the top of the machine, next to the light indicators.) Your machine is now using maximum power/wattage and is heating water.

- When both GREEN lights are on, your unit is ready to use.

***When the unit runs out of water,
a RED indicator light on the top of the unit
will illuminate and it will beep, indicating low water.***

To refill, follow these instructions:

- Return the HEATER switch to the neutral (middle) position.
- With a nozzle connected to the handle of the hose, press both handle switches forward for maximum steam release. Bleed the line until all the steam stops discharging.
- After the steam is completely discharged, turn the MAIN switch to the OFF position. (Toggled to the left.)
- Using a towel, press firmly on top center of PRESSURE Cap and carefully unscrew. Be careful of HOT STEAM emitting from the cap as the pressure is released.

Now your unit is ready to be refilled and powered back for use.

- Follow filling and heating instructions described previously.



Drain your AmeriVap™ System regularly (after 3 - 5 uses.)




While it is fine to leave water in your system between uses, it is highly recommended that you drain the water from the tank at least twice a week to flush out any collected elements of particles. The less time water sits in the tank unused, the less chance for build-up to accumulate on the heating element.

Simply use the tool on the bottom of the pressure cap to unscrew the drain plug on the bottom of the unit and let the water drain into a bucket or basin.

Run a tank of water through, and then replace the drain plug.

(Note: It is not necessary to use undue force to replace the drain plug!)



Flush the tank out once a month. This will remove any collected elements and mineral deposits from the heating element and will dramatically extend the life of the machine.

- ☛ Unplug the unit from wall socket.
- ☛ Make sure the machine is cool.
- ☛ Add 5 ounces of WHITE vinegar, LimeAway™, C.L.R.™, or a coffeemaker or humidifier cleaner to 32 ounces of water. Pour mixture into tank.
- ☛ Allow the mixture to sit in the tank for several hours or overnight.
- ☛ Shake the Vapor Blitz II to dislodge mineral deposits.
- ☛ Use the bottom of the cap as a wrench to loosen the plug in the bottom of the machine and drain the water into a bucket or sink.

*Follow the "Filling and Heating Instructions" listed previously.
Now you are ready to work again.*



**Remember to Call
AMERIVAP™ SYSTEMS
at 1.800.763.7687
For Any Technical Questions.**



THE VAPOR BLITZ I HAS A CONTINUOUS FILL, DOUBLE TANK WHICH MAKES IT SAFE TO ADD WATER AT ANY TIME BECAUSE IT HAS A NON-PRESSURIZED WATER RESERVOIR.



- Plug in the Vapor Blitz I. The green light (see icon) will flash to indicate that the unit is receiving power.



- The red light (see icon) will light up to indicate if there is no water in the tank.



- Use the filler bottle to add tap water by inserting and pressing down the filler bottle cap into the reservoir opening. After adding two bottles of tap water, the yellow light (see icon) will light up to indicate that the reservoir is now half full.



- After adding two more bottles of tap water, the green light (see icon) will light up indicating that the tank is full.



- Switch on the main power button (see icon).
The green light will stop flashing, but will remain on.



- The red light (see icon) will switch on to indicate that the heating element is receiving power, and the pump will inject water into the boiler.



- The pressure inside the boiler will begin rising and after approximately five minutes the yellow light (see icon) will light up indicating the continuous work pressure.



- After approximately 6 - 8 minutes, the green light (see icon) will switch on to indicate that the boiler has reached maximum pressure.

Bleed the line for several seconds by pressing both handle switches forward to purge the line. When the green light appears again, you are ready to proceed to clean.

Remember that tap water can be safely added to the water reservoir by simply opening the cap. Use the filler bottle to add tap water as needed.

FILLING and HEATING INSTRUCTIONS (cont.) VAPORBLITZ I

(Note: *On the electrical control panel, the following icons will light up as the three temperature settings are engaged on the handle of the hose.*)



Low
Steam
(45 psi)



Medium
Steam
(55 psi)



High
Steam
(65 psi)

PREVENTIVE MAINTENANCE

VAPORBLITZ I

In order to keep the VAPOR BLITZ I in good working condition, the inside of the boiler must be cleaned every **one to three months**.

The varying amounts of mineral deposits present in the water can compromise the unit's performance. Percentages vary from place to place, so maintenance intervals must be established accordingly.

- Turn the unit off.
- Unplug the unit from the wall socket.
- Make sure the machine is cool.
- Unscrew the cap on the top of the unit and turn unit upside down over a bucket or basin to drain water from the water reservoir.
- While the unit is still upside down, use the "key" on the safety cap to open the lower drainage plug.
- Turn the unit right side up over a basin or bucket to ***drain the remaining water from the boiler.***
- Turn the unit upside down.
- Add five to ten ounces of White vinegar, Lime Away™, C.R.L.™, or other commercial coffee maker or humidifier cleaner to 32 ounces of tap water and pour into stainless steel boiler.
- Replace the drain plug and turn the unit right side up and let the cleaning solution sit in the stainless steel boiler for several hours or overnight.
- Using the "key" on the safety cap, open the lower drainage plug over a bucket or sink to drain the fluid from the stainless steel boiler.
- Turn the unit upside down.
- * Fill the stainless steel boiler with one filler bottle of tap water. Drain. Repeat this procedure three times to flush out any remaining cleaning solution.
- Replace the drain plug.

***Follow the "Filling and Heating Instructions" listed previously.
Now you are ready to work again.***

BEST PRACTICES



Always use the filler bottle to add water to the machine. The filler bottle is spring loaded to prevent over-filling and will prevent spillage that could damage the electronics.



Make it a habit to keep the Vapor Blitz and the attachments on the cart when you are cleaning. This will prevent the machine from dropping or getting bumped around. The cart will also provide organization for the attachments which will speed up cleaning time.



Use the rectangular and triangular filler pad inserts whenever possible. This will reduce the number of times the towel needs to be changed. The pads are located in the optional attachment section of this guide.



When transporting the machine, make sure the hose is not attached.

Do not pull the Vapor Blitz unit by the hose.

Store the cord behind the back door, using the automatic cord winder.

**Remember to Call
AMERIVAP™ SYSTEMS
at 1.800.763.7687
For Any Technical Questions.**

BASIC ATTACHMENTS FOR THE VAPOR BLITZ

The AmeriVap™ Vapor Blitz is an inclusive steam cleaning system with tools to do a wide array of cleaning jobs.

BLACK LUXOR CART (CAR-271) (Vapor Blitz II only)

The heavy duty, plastic cart has pre-drilled holes for attachment storage and keeps everything organized in an efficient manner.



HOSE (GVA-9R)



- ① Slide grey cover on top of unit toward the rear and hold up.
- ② Push red button on hose connector down and plug into socket. Release button. Hose should be locked into place.
- ③ To insert attachments to the end of hose, turn the red locking ring on the end of the hose to the left. Insert desired tool and lock by turning the ring to the right. Make sure attachment is locked in place before turning on the steam.

TEMPERATURE SETTINGS — *There are three (3) temperature settings on the handle of the hose.*

- Push the Orange Switch forward for LOW (45 psi) Steam. (For delicate surfaces.)
- Push the Red Switch forward for MEDIUM (55 psi) Steam. (For most cleaning applications.)
- Push Both Switches forward for HIGH (65 psi) Steam. (For heavy duty applications.)



EXTENSION TUBES (GVA-5R)


The Vapor Blitz comes with two extension tubes. However, up to four tubes can be used without losing heat or pressure. Four tubes make it possible to clean at a longer range.



All attachments can be used with the extension tubes which makes cleaning easier for the operator. This eliminates cleaning on hands and knees, or using a ladder.

RECTANGULAR BRUSH (GVA-2R)

The Rectangular Brush is used to clean large surfaces such as floors, walls and ceilings. This brush can be used with or without a towel depending on what surface you are cleaning. *Be sure to use your extension tubes.* The rectangular brush has a swivel feature that can be locked by sliding the grey clip on the top of the brush towards you. By having the clip pushed forward, the swivel feature is engaged.



➤ **Attach a cloth to the rectangular brush for one-step cleaning and drying.**

- Place a clean towel, folded horizontally, on a flat surface. Place Rectangular Brush in the center of the folded towel.
- Press one clip at a time down and insert corner of the towel under the clip. Make sure cloth is tightly attached.

➤ **We recommend that the pad insert be used before attaching the towel. The pad insert allows for more of a surface area to be cleaned without changing the towel. (The rectangular pad insert (rec pad) is listed under Optional Attachments.)**

Change the cloth as it becomes dirty. Remember that you can use both sides of the towel.

Your Vapor Blitz II will remove chemical residue, tar and nicotine and body fluids. Use on surfaces including vinyl wallpaper to pass Blacklight Test!

Use the Rectangular Brush with towel to clean large surface areas including the following:

Carpets — Vacuum carpet if necessary before cleaning. Stroke in both directions.

Ceilings — Lock to disengage swivel and turn the brush assembly upside down at the hose.



Caution: Some commercial kitchens use a ceiling tile with a very thin textured vinyl coating. The heat from the dry steam vapor system may remove the texturing and smooth out the vinyl. DO NOT attempt to clean this type of ceiling.

Hardwood — Make sure the varnish is oil base.

- Double wrap your brush with two towels.
- Turn steam to low (45 psi)
- Work quickly — DO NOT leave in one place too long.

Linoleum — Use a vacuuming motion. If the floor has a waxed finish that will become dull or will melt, use the same method as for hardwood.

Mattresses — Use a vacuuming motion. Removes dust mites and allergens.
Kills Bed bugs and eggs.

Tile & Marble — Grout may require deep cleaning with jet nozzle and a detail brush.

BASIC ATTACHMENTS FOR THE VAPOR BLITZ (Brushes)

RECTANGULAR BRUSH (cont.)

Use the Rectangular Brush WITHOUT a cloth or filler pad to clean surfaces like cement, tile or anything with a texture that needs to be scrubbed. You will need to follow up with a cloth to collect the dirt that has been loosened. Exposing the bristles will speed up the cleaning process.



TRIANGULAR BRUSH (GVA-3R)

The Triangular Brush is great for cleaning corners, plus it covers a lot of square footage. Use the elbow for most jobs along with the extension tubes as needed. This brush can be used with or without a towel for various cleaning applications.



To attach towel to Triangular Brush:

- Fold towel in half and place horizontally on a flat surface.
- Place Triangular Brush in the center of the towel.
- Grasp the bottom left corner of towel tightly and insert under left clip.
- Repeat the procedure for the right side of the cloth.
- Grasp left top corner of cloth and cross over top of brush and insert under right clip.
- Repeat the procedure on the left side.

Note: We recommend that the pad insert is inserted before attaching the towel. The Triangular Pad Insert (tripad) is listed under Optional Attachments. The pad insert will allow cleaning a larger surface area before having to change the towel.

Use the Triangular Brush with towel to clean, sanitize and deodorize any broad surface including the following:

- Fronts of refrigerators, stoves and other kitchen equipment
- Upholstered and leather furniture
- Baseboards and crown moulding
- Bathtubs & bathroom fixtures
- Carpeted and wooden stairs
- Ceiling fan blades
- Health club equipment
- Counter tops
- Cabinets
- Drapes
- Car Interiors
- Window blinds
- Mattresses

Use the Triangular Brush without a towel to clean dirty surfaces where agitation is needed, such as:

- Linoleum corners and edges
- Plastic patio furniture
- Tile showers
- Cement

**Remember to Call AMERIVAP™ SYSTEMS at 1.800.763.7687
For Any Technical Questions.**



GREY TURBO NOZZLE (GVA-4G)

This "turbo" nozzle has a round opening for a slightly larger volume of steam.

STEAM NOZZLE

The Steam Nozzle will direct a pressurized jet of steam that will blow out dirt and debris from hard to reach areas, such as cracks and crevices. The dirt can then be wiped up with a towel. Use the steam nozzle without brushes for items that are heat-resistant enough to be touched directly with the tip of the nozzle.

The following items are normally heat-resistant enough to take direct steam.



BLACK CROSS NOZZLE (GVA-4B)

This nozzle has a criss-cross opening which directs the steam to a more specific area.

Kitchen Appliances — Stoves, ovens, microwaves, etc.

Elevator, Door, Window & Closet Tracks — Place a small towel in the track, ahead of the nozzle, to prevent dirt from being sprayed up from the track.

Doorknobs — Sanitize and remove fingerprints.

Drains — Unclog, degrease and sanitize.

Faucets — Blow debris out of the cracks and crevices.

Candle Wax Drips — Turn nozzle upside down so the steam pressure shoots the wax up and off rather than down into carpet. Use a paper towel to catch the melted wax.

Shower Heads & Fixtures — Sanitize and shine.

HVAC Coils — Removes nicotine, chemicals and debris.

Spots in carpet — Attach two Extension Tubes, the Steam Nozzle and a 1 inch Nylon Brush to the end of the Hose. Turn the steam to the *Medium* (55 psi) setting and go over the stain with a north-to-south and an east-to-west motion. This process will loosen the stain from the carpet fibers. Next, use the Rectangular Brush with Pad Insert and a towel. Keep the steam at the *Medium* (55 psi) setting and go over the stain with the same motions. Change towel as needed.

NOTE: *You are welcome to pre-treat any stain with a detergent such as OxyClean™ before you use the dry steam. Apply the product and let it sit for a few minutes. Then, clean the stain in the manner listed above. We do not recommend using a commercial carpet stain remover. The reason for this is that most commercial carpet cleaners are petroleum based. Within weeks of a stain being removed with these products, dirt will be attracted to the sticky substance and stain will reappear.*

BASIC ATTACHMENTS FOR THE VAPOR BLITZ (Nozzle)

Remove Chewing Gum — Direct the steam sideways starting at the edge of the gum wad. Push the gum ahead of the Nozzle while picking up any gum removed with a towel.

Toilets — Start at the top of the tank, move to the handle, down the tank to the top of the lid. Lift the lid and spray underside. Go around the seat, under the seat and then the bowl itself. Turn the Nozzle upside down to clean under the rim. Use the Nozzle right side up for the rest of the bowl. Flush and follow the water down the insides of the bowl. You may immerse the Nozzle within 2 inches of the Hose connection.

For items that are Not heat-resistant, steam must be delivered from a distance of at least 4 inches. Spray and wipe immediately with a cloth. Items that are Not heat-resistant include (but are not limited to):

- Porcelain
- Wicker
- Ceramics
- Electronics
- Leather



Plants — To mist live plants, dried and silk flowers, turn the steam to Low and spray from a distance of at least 4 inches. Do not wipe.

**Remember to Call
AMERIVAP™ SYSTEMS
at 1.800.763.7687
For Any Technical Questions.**

BASIC ATTACHMENTS FOR THE VAPOR BLITZ (Brushes)

BRUSHES FOR THE STEAM NOZZLE

The Vapor Blitz includes an assortment of brushes to enhance the steam nozzle. Various applications require steam, surface agitation and wiping for proper cleaning.

To attach a brush, simply push it onto the nozzle. The brush can be easily removed by just pulling it off. Wrap the brush with a towel if you remove it when it is still hot. This prevents burning your hand. Note that in the beginning, it is natural to push hard and put excess pressure on the jet nozzle when cleaning. *But, please allow the steam and the brushes to do the work.*



**1" NYLON
DETAIL BRUSH
(GVA-8N)**

The Nylon Detail Brush is made for cleaning surfaces that are not very scratch resistant and do not need much scrubbing, like chrome and faucets.



**1" BRONZE
DETAIL BRUSH
(GVA-8B)**

The Bronze Detail Brush is made for cleaning surfaces such as softer metals, tile and grout, door and elevator tracks and for surfaces that require more agitation than with the Nylon Brush.



**1" STAINLESS STEEL
DETAIL BRUSH
(GVA-8S)**

The Stainless Detail Brush is made for cleaning more abrasive surfaces and for use when cleaning tough jobs such as grates, tile and grout, oven racks, BBQ grills, drip pans, etc.



**2 1/2" NYLON
CIRCULAR BRUSH
(GVA-7N)**

The Nylon Circular Brush is recommended for use on larger, softer surface areas.



**2 1/2" BRONZE
CIRCULAR BRUSH
(GVA-7B)**

The Bronze Circular Brush is recommended for use on a larger area of softer metal surfaces and for areas that require more agitation than the 2 1/2" Nylon Circular Brush


BASIC ATTACHMENTS FOR THE VAPOR BLITZ (Blitz Pads)

BLITZ PAD SET & BLITZ PAD HOLDER

The Vapor Blitz includes an assortment of tools to enhance the steam nozzle. Various applications require steam, surface agitation and wiping for proper cleaning.

BLITZ PAD SET (GVA-7P)

The Blitz pads are an assortment of pads that vary in texture to tackle different cleaning applications. These pads hold the heat on a surface longer than a brush. They scrub away build-up and have the ability to reach into tight corners better than a round brush. They are very good for removing sticky tape from hard surfaces.



BLITZ PAD HOLDER (GVA-7H)

Press the Blitz pad of your choice onto the Velcro™ of the Blitz Pad Holder and then attach the Blitz Pad Holder to the steam nozzle.

Use the appropriate color for the job:

White — The gentlest. To be used on chrome, fiberglass and synthetics.

Green — Will clean glass, mirrors and porcelain.

Blue — Use on textured plastics and Formica

Brown — De-calcify bathtubs, showers, tile and grout.

Black — Use for burnt-on spills on ovens and grills.

Remember to Call
AMERIVAP™ SYSTEMS
at 1.800.763.7687
For Any Technical Questions.

WINDOW SQUEEGEE WITH BRISTLES (GVA-ILPI)

- Steam glass, windows and mirrors with brush.
- Swivel to squeegee side to remove moisture and dirt.
- Use a towel to absorb moisture
- Add the extension tubes to increase the range of motion and leverage.



***NOTE:** In the winter when window glass is very cold, warm the glass first by steaming from a distance of 3"-4" before touching it.*



NON-SPILL FILLER BOTTLE (GVA-11)

The Filler Bottle is spring loaded to prevent over-filling and will protect the electronics from spillage

ALWAYS use the filler bottle to add water to the machine.



TOWELS (TOW 172)

Terry cloth towels are designed to be the perfect size to accommodate the Triangular and Rectangular Brushes.

We recommend that they be washed and dried before using.




OPTIONAL ACCESSORIES

AmeriVap™ Systems offers the following optional accessories to be used with the Vapor Blitz. These unique attachments allow for additional cleaning capabilities.

Please call AmeriVap™ Systems at 800.763.7687 for questions about these products, or to place an order. We welcome your calls.

DIAMOND BRUSH WITH ELBOW (GVA-3D)

The Diamond Brush covers twice the area of the Triangular Brush, allowing faster cleaning of an area. It is ideal for detailing broad surfaces such as walls. This brush can be used with or without a towel for different cleaning applications. Remember to use the Diamond Pad inserts before attaching towel.



WALL TOOL ATTACHMENT FOR RECTANGULAR BRUSH (GVA-2A)

The Wall Tool Attachment clamps on to the Rectangular Brush. It is excellent for removing wall paper and getting rid of carpet roll.



2 1/2" STAINLESS STEEL BRUSH (GVA-7S)

The sturdiest brush for really tough jobs and for a larger surface area than the 1" Stainless Steel Detail Brush



RED CROSS NOZZLE (GVA-4R)

The Red Cross Nozzle allows for color coding specific jobs. (For example, use the red nozzle for restrooms and the black nozzle for kitchens.)

OPTIONAL ACCESSORIES (Cont.)



MULTI USE DISPENSER BOTTLE (GVA-12)

Ideal for adding a deodorizer, Sporidicin™, germicidal or fragrance. The dispenser attaches to the hose. When steam is released, the additive will be blended with the dry steam vapor, allowing it to penetrate all the hard to reach areas.



SINK DRAIN — 2 1/2" (GVA-15)

The Sink Drain tool attaches to the Steam Nozzle. This tool allows you to reach through water in a sink and apply heat and pressure to blow the stoppage loose. No need for chemicals or to put your hands in the water.



SINK DRAIN — 5" (GVA-15B)

This tool works the same as the 2 1/2" Sink Drain tool, but has a larger opening for larger drains.

NOTE: Limit exposure to 15 second intervals when using the Sink Drain tools on PVC pipe drains as they may warp. Copper and galvanized pipes will allow for longer exposure.

EXTENDED LENGTH NOZZLE (GVA-4L)



The Extended Length Nozzle allows the cleaning of very hard to reach areas with ease. Ideal for an extended reach when cleaning HVAC coils

**Remember to Call
AMERIVAP™ SYSTEMS
at 1.800.763.7687
For Any Technical Questions.**

WINDOW SQUEEGEE (GVA-1R)

This Window Squeegee has a rubber blade where the steam nozzles are instead of bristles.



SLIM NOZZLE EXTENSION TUBE (GVA-14)

The Slim Nozzle Extension Tube attaches to the steam nozzle and allows the cleaning of tight areas that are hard to reach.



OPTIONAL ACCESSORIES (Cont.)



TRIANGULAR PAD INSERTS (Tri Pads)

Pad inserts for the Triangular Brush. Place pad in Triangular Brush before adding towel. This will allow for a longer cleaning time between towel changes.

RECTANGULAR PAD INSERTS (Rec Pads)

Pad inserts for the Rectangular Brush. Place pad in Rectangular Brush before adding towel. This will allow for a longer cleaning time between towel changes.

DIAMOND PAD INSERTS (Dia Pads)

Pad inserts for the Diamond Brush. Place pad in Diamond Brush before adding towel. This will allow for a longer cleaning time between towel changes.

FLEXIBLE HOSE 20 ft. (GVA-9-20)

Double the size of the standard hose. No heat or pressure will be lost with the 20' hose.



SPORICIDIN™ (SPOR-R1284C)

Sporicidin™ — a disinfectant solution that will retard mold and mildew growth for up to 6 months. This disinfectant is non-corrosive to surfaces including plastics, latex, vinyl, glass, wood, metal and porcelain.

For best practices, we suggest that you first steam the area thoroughly, then add Sporicidin™ to the Multi-Dispenser Bottle (GVA-12). Attach the Multi-Dispenser Bottle to the hose and direct steam to the area to apply the Sporicidin™. The Multi-Dispenser Bottle will act as a fogger, enabling it to reach into cracks and crevices and hard-to-reach areas. Mold and mildew growth will be retarded for up to 6 months.



OPTIONAL ACCESSORIES (Cont.)



CHROME CART (CAR3014)

A sturdy Chrome Cart that will accommodate the Vapor Blitz II and the Vapor Blit I unit and the tools. The Chrome Cart is an alternative style to the Black Cart.

CARRYING CASE (GV-101) (Vapor Blitz II only)

The Carrying Case is ideal for transporting the Vapor Blitz II and its attachments from place to place.



SPECIAL APPLICATIONS

■ DETAILING SMOKING ROOMS

Your Vapor Blitz will remove chemical residue, tar and nicotine and body fluids. Use on surfaces including vinyl wallpaper to pass Blacklight Test!

- ☛ Use the Triangular or Diamond Brush with Pad Insert and towel to remove nicotine from:
 - LAMPSHADES — make sure the lampshades are not made of paper
 - WALLS
 - DRAPERIES, MIRRORS, BLINDS and WINDOWS
 - BEDSPREADS

- ☛ Use the Rectangular Brush with Pad Insert and towel to remove nicotine from:
 - WALLS — use low steam setting (45 psi)
 - CARPETS
 - MATTRESSES

NOTE: *Work quickly. Nicotine will come off instantly when it comes in contact with dry steam vapor. Change towels as needed.*

SPECIAL APPLICATIONS

AUTO DETAILING

- ☛ **Floor Mats and Floor Boards** — Use the Triangular Brush without a towel on low to medium setting to loosen the embedded dirt in the fibers. Stroke in an up-and-down and back-and-forth motion. Now, attach the Pad Insert and towel to the Triangular Brush to remove the remaining dirt and to smooth out the nap.
- ☛ **Top of Instrument Panel** — Use the Jet Nozzle on the medium setting to blow dust and dirt from vents, ash trays, etc.
- ☛ **Cloth Upholstery** — Use the Triangular Brush without a towel on low setting (45 psi) and work in an up-and-down and back-and-forth motion to remove embedded dirt. Then repeat the process with the Triangular Brush with an attached Pad Insert and towel.
- ☛ **Hubcaps** — Use the Steam Nozzle with the 1" Nylon Detail Brush on hard-to-remove dirt in the hard to reach areas.
- ☛ **Leather Upholstery** — Use the Triangular Brush with Pad Insert and towel on low setting. *Suggestion: Use a good quality leather treatment after cleaning.*
- ☛ **Headliner** — Use the Triangular Brush with Pad Insert and towel on low setting to remove dirt and debris.

CAUTION: *Use quick movements to avoid loosening the Headliner glue.*

FOR USE AS A HUMIDIFIER

Simply place the Vapor Blitz with the Steam Nozzle in a corner of the room and turn it to the low setting.

The Triangular Brush with a towel attached is a great tool for adding a few drops of an essential oil such as eucalyptus or lavender. Place a few drops of the oil on the towel after it is attached to the brush. The fragrance will spread around the room, giving off a wonderful aroma.



**Remember to Call AMERIVAP™ SYSTEMS
at 1.800.763.7687 For Any Technical Questions.**

Other Things You Can Clean with your AmeriVap™ Vapor System

- ☛ **CHANDELIERS**
- ☛ **CLOTHING**
- ☛ **MOTOR HOMES and BOATS**
- ☛ **GARDENING AREAS**
- ☛ **GOLF CLUBS and CARTS**
- ☛ **TOOLS and EQUIPMENT**
- ☛ **GARAGE FLOORS**
- ☛ **MOTORCYCLES**
- ☛ **TELEPHONES**
- ☛ **COMPUTER KEYBOARDS**
- ☛ **TV REMOTE CONTROLS**
- ☛ **TRASH CANS**



ATTACHMENTS




GVA-2A
For Wall & Ceiling
Cleaning



GVA-12
For Germicidal-Sanitizer
Deodorizer



GVA-3D



GVA-2R



GVA-3R



GVA-15



GV-49



GVA-4G
GVA-4R

GVA-4B



GVA-11



GVA-7N
GVA-7B
GVA-7S




GVA-15B

Rec
Pad



GVA-8N
GVA-8B
GVA-8S



Tri Pad



GVA-9R



Dia
Pad



GVA-4L

GVA-14




GVA-5R



GVA-7H
Pad Holder



GVA-7P
Custom abrasive
Pad Set



GVA-1R




TOW-172



SPOR-R1284C



GVA-1LPI



Notes

**Remember
to Call**

**AMERIVAP™
SYSTEMS**

**at 1.800.763.7687
For Any Technical Questions.**

AmeriVap™ Systems

PRICES SUBJECT TO CHANGE—PLEASE CALL TO CONFIRM

31 Successful Way • Dawsonville, GA 30534

404.350.0239 • 800.763.7687

Fax: 404.350.9214 • Email: info@amerivap.com

07.012011

Quotation

Requisition

Order Form

Date:

Sales Person:		Industry:		Source: <input type="checkbox"/> Tel <input type="checkbox"/> Mail/Fax <input type="checkbox"/> Referral <input type="checkbox"/> Demo <input type="checkbox"/> Trade Show			
Bill To: Name:				Ship To: Name:			
Customer:				Customer:			
Address:							
City, State, Zip:							
Tel:		Fax:		Email:			
P.O. No.		<input type="checkbox"/> Best Way <input type="checkbox"/> Priority		Special Instructions:			
Terms		<input type="checkbox"/> COD <input type="checkbox"/> Lease (Application Attached?)		<input type="checkbox"/> Credit Card (See Below)		<input type="checkbox"/> Net 10 <input type="checkbox"/> Other	
Sales Tax #		<input type="checkbox"/> Exempt (Certificate Attached)		<input type="checkbox"/> Non-Exempt			
<input type="checkbox"/> VISA		<input type="checkbox"/> MC		<input type="checkbox"/> DISCOVER		Card No.	
						Exp.Date	

QTY.	PART #	DESCRIPTION	Price	Total	
	VB-I Vapor BlitzI with chrome cart	<input type="checkbox"/> Car Detailing <input type="checkbox"/> Basic <input type="checkbox"/> Deluxe <input type="checkbox"/> Combo			
	VB-II Vapor BlitzII with black cart	<input type="checkbox"/> Graphics Removal <input type="checkbox"/> GSA Package (GSA # GS-07F-0204L)			
	STM-STEAMAX — STEAMAX RESIDENTIAL Steam Cleaning System				
	3.3 KW 208 / 220V				
	OTHER				

Attachments for Vapor Blitz I / Vapor Blitz II / 3.3 KW					*** (Also fits Steamax)				
Qty.	Attach #	Description	Each	Total	Qty.	Attach #	Description	Each	Total
	GVA-3R	Triangular Brush w /Elbow	44.50			GVA-11	Filler Bottle, 16 oz., Non-Spill ***	14.00	
	GVA-3D	Diamond Brush (5x5") w/ Elbow	51.50			GVA-12	Multi-Use Dispenser ***	37.00	
	GVA-2R	Rectangular Brush (10 1/2" x 3 1/2")	87.50			GVA-49	Pressure Cap, Standard ***	54.00	
	GVA-2A	Wall Tool Attachment for Rectangular Brush ***	15.00			GVA-9R	Flexible Hose, 10 Ft.	117.00	
	GVA-8N	1" Nylon Detail Brush *** 4 Pack	26.00						
	GVA-8B	1" Bronze Detail Brush *** 4 Pack	30.00			GVA-15	Sink Drain 2 1/2" ***	17.00	
	GVA-8S	1" Stainless Steel Detail Brush *** 4Pk	34.00			GVA-15B	Sink Drain 5" ***	17.00	
	GVA-7N	2.5" Nylon Circular Brush ***	13.00						
	GVA-7B	2.5" Bronze Circular Brush ***	13.00			TOW-172	Towels - Doz., 100% Cotton	19.00	
	GVA-7S	2.5" Stainless Steel Circular Brush ***	14.00						
	GVA-7H	Large Abrasive Pad Holder ***	10.50			CAR271	Luxor Cart - Plastic	220.50	
	GVA-7P	Pads-wh/grn/bwn/blk *** 10Pk asst.	10.50			CAR3014	Luxor Cart - Chrome	220.50	
	GVA-5R	Extension Tube	22.50			GV-101	Carrying Case	87.50	
	GVA-4B	Nozzle, Black Cross Cut	13.00						
	GVA-4R	Nozzle, Red Cross Cut	13.00						
	GVA-4G	Nozzle, Gray Turbo	13.00						
	GVA-1R	Window Squeegee	37.00						
	GVA-1LP1	Window Squeegee w/Bristles	58.00						
	GVA-4L	Extended Length Nozzle ***	22.50						
	GVA-14	Slim Nozzle Extension Tube ***	4.50						
Total Order Amount									
<input type="checkbox"/> Dealer <input type="checkbox"/> Quantity <input type="checkbox"/> Trade Show <input type="checkbox"/> Other									
Sales Tax									
Freight/Shipping									
Total Invoiced									

AmeriVap™ Industrial Product Line

Digital Cleaning Technology since 1991



3.3 KW

208/220V Single Phase



5.5 KW 3 Phase



9 KW 3 Phase



19.5 KW 3 Phase



33 KW 3 Phase

Xtreme Steam
heavy industrial cleaning
with continuous water feed
and chemical injector.

For special custom built
units up to 240 KW,
please inquire.

AmeriVap™ Systems

31 Successful Way • Dawsonville, Georgia 30534

Local Phone: 404.350.0239 • Fax: 404.350.9214

Toll Free: 800.763.7687

Email: info@amerivap.com • www.amerivap.com

**An AmeriVap™ Vapor Cleaning System
is the ideal tool for Cleaning, Sanitizing
and Deodorizing.**

It is versatile, easy to use and affordable...



AmeriVap™ Systems

**Clean and Sanitize
Using Low Pressure,
High Temperature
Dry Steam Vapor**



**Residential
Commercial
Industrial**