

WEED IMPEDE®

2 in 1

CONCENTRATE

**Pre-emergent & Post-emergent
Non-Selective Weed Control
For Many Broadleaf Weeds & Grasses**

- Use On Cracks & Crevices In Driveways, Sidewalks & Patios
- Along Edges of Lawns
- Around Well-Established Trees & Shrubs & Gravel Areas

**Enters Plant Through The Foliage &
Moves Systemically To The Roots, Killing Weeds**

**Provides An Invisible Barrier In The Soil
Preventing Development of Weeds**



ACTIVE INGREDIENTS:

Glyphosate, N-(phosphonomethyl) glycine,
In the form of its isopropylamine salt* 40.15%
Proflaminate** 7.51%

OTHER INGREDIENTS: 52.34%
TOTAL: 100.00%

* Contains 480 grams per liter or 4.0 pounds per U.S. gallon of the active ingredient glyphosate, in the form of its isopropylamine salt. Equivalent to 356 grams per liter or 2.97 pounds per U.S. gallon of the acid, glyphosate.

** Equivalent to 90 grams per liter or 0.75 pounds per U.S. gallon of Proflaminate.

EPA Reg. No. 228-509-54705

EPA Est. No. 48498-CA-1

NET CONTENTS: 1 Pint, 1 Quart, 1 Gallon

Distributed by:

LAWN AND GARDEN PRODUCTS, INC.

P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100

www.montereylawngarden.com

KEEP OUT OF REACH OF CHILDREN CAUTION – PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

For Chemical Spill, Leak, Fire, or Exposure, Call CHEMTREC (800) 424-9300
For Medical Emergencies only, Call (877) 325-1840

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION – PRECAUCIÓN: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling.

FIRST AID

If In Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
------------	--

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-325-1840 for emergency medical treatment information.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

WPS Uses: Applicators, mixers, loaders and other handlers who handle this pesticide for any use covered by the Worker Protection Standard (40 CFR Part 170) (in general, agricultural-plant uses are covered) must wear: long-sleeved shirt, long pants, shoes plus socks, and chemical-resistant gloves made of any waterproof material and protective eyewear. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands, face and arms with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing.
- As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment wash water or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Spray solutions of this product should be mixed, stored and applied using only stainless steel, aluminum, fiberglass, plastic or plastic-lined steel containers.

DO NOT MIX, STORE OR APPLY THIS PRODUCT OR SPRAY SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR SPRAY TANKS. This product or spray solutions of this product react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE USING THIS PRODUCT. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Stay off treated areas until sprays have dried. Precautions should be taken to prevent tracking product after application onto desirable grasses.

SHAKE WELL BEFORE USING.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

People and pets may not enter treated areas until sprays have dried.

GENERAL INFORMATION

WHERE TO USE:

Apply this product to both established weeds and weed-prone areas where weeds have not yet emerged.

- on cracks and crevices in driveways, sidewalks, walkways, and patios
- along fences, foundations, curbs, bunkers, retaining walls, and edge of lawns
- around the base of in mulched beds or well-established (at least 6 months old) plants, shrubs or trees
- on gravel areas

HOW THIS PRODUCT WORKS

Important: To prevent new weeds and grasses from growing you must spray the entire area you want to control, not just the emerged weeds.

This product works two ways:

1. One ingredient enters the plants through foliage and moves systemically to the roots, killing weeds by stopping the production of a substance found in plants. Weeds begin to yellow and wilt in a matter of days with complete kill in 1 to 2 weeks.
2. The other ingredient provides an invisible barrier in the soil, preventing growth and development of newly germinated weeds.

USE PRECAUTIONS:

- Do not spray desirable plants.
- Do not use in lawns or for lawn renovations as this product prevents desirable grass establishment.
- Do not use for vegetable garden preparations or in and around fruits and vegetables.
- Do not spray around young plants or in an area that will be planted or seeded for 4 to 6 months, depending on if the low or high rate was applied.

APPLICATION

WHEN TO APPLY

Spray when air is calm to prevent drift to desirable plants. For best results, apply during warm, sunny weather (above 60°F).

This product may be applied more than once a year as long as the total amount applied is not greater than the maximum application rate for each turf species.

WEEDS CONTROLLED

Pre-Emergent:

When used as directed, this product will prevent the following weeds from emerging:

Barnyardgrass	Kochia
Bluegrass, annual (<i>Poa annual</i>) ¹	Lambsquarters, common
Carpetweed	Lovegrass
Chickweed, common ¹	Panicum, (Texas, fall, browntop)
Chickweed, mouse-ear (from seed)	Pigweed
Crabgrass (large, smooth)	Purslane, common
Crowfootgrass	Pusley, Florida
Cupgrass, woolly	Rescuegrass ²
Foxtails, annual	Shepherdspurse ¹
Goosegrass	Signalgrass (broadleaf)
Henbit ¹	Speedwell, Persian
Itchgrass	Sprangletop
Johnsongrass (from seed)	Spurge, prostrate
Junglerice	Witchgrass
Knotweed ¹	Woodsorrel, yellow (from seed)

¹ To control this weed in non turf areas, apply this product in late summer, fall, or winter before weeds germinate.

² Suppression only.

Post-Emergent Non-Selective:

ANNUAL WEEDS

Barley	Mustard, tansy
Barnyardgrass	Mustard, tumble
Bluegrass, annual	Mustard, wild
Bluegrass, bulbous	Oats, wild
Brome, downy	Panicum, fall
Buttercup	Panicum, Texas
Cheat	Pennycress, field
Chickweed, common	Pigweed, redroot
Chickweed, mouse-ear	Pigweed, smooth
Cocklebur	Primrose, cutleaf evening
Corn	Pusley, Florida
Crabgrass	Rice, red
Dwarfdandelion	Rocket, London
False flax, smallseed	Rye
Filaree	Ryegrass, Italian
Foxtail	Shattercane
Foxtail, Carolina	Shepherdspurse
Geranium, Carolina	Sicklepod
Goatgrass, jointed	Signalgrass, broadleaf
Goosegrass	Spanishneedles
Groundsel, common	Sprangletop
Henbit	Spurge, annual
Horseweed/Marestail	Spurry, umbrella
Johnsongrass, seedling	Stinkgrass
Lambsquarters, common	Teaweed
Morningglory	Wheat
Mustard, blue	Witchgrass

PERENNIAL WEEDS

Alfalfa	Knapweed
Alligatorweed*	Lantana
Anise (fennel)	Lespedeza
Artichoke, Jerusalem	Milkweed
Bahiagrass	Muhly, wirestem
Bentgrass	Mullein, common
Bermudagrass	Napiergrass
Bermudagrass, water (knotgrass)	Nightshade, silverleaf
Bindweed, field	Nutsedge; purple, yellow
Bluegrass, Kentucky	Orchardgrass
Blueweed, Texas	Pampasgrass*
Brackenfern	Paragrass
Bromegrass, smooth	Phragmites*
Bursage, woollyleaf	Poison hemlock
Canarygrass, reed	Quackgrass
Cattail	Redvine*
Clover, red	Reed, giant
Clover, white	Ryegrass, perennial
Cogongrass	Smartweed, swamp
Dallisgrass	Spurge, leafy*
Dandelion	Starthistle, yellow
Dock, curly	Sweet potato, wild*
Dogbane, hemp	Thistle, artichoke
Fescue, tall	Thistle, Canada
Fescues	Timothy
Guineagrass	Torpedograss*
Horsenettle	Trumpetcreeper*
Horseradish	Vaseygrass
Ice plant	Velvetgrass
Johnsongrass	Wheatgrass, Western
Kikuyugrass	

*Partial Control

TANK SPRAYER (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- Add 3 to 6 fluid ounces to 1 gallon of water and treat 1,000 sq. ft.
- For longer pre-emergent control and post-emergent control of larger weeds use the higher rate.

Do not apply with a galvanized or unlined steel (except stainless steel) sprayer, or through any irrigation system.

HOW TO APPLY

Spray existing weeds AND the entire surrounding weed-prone area you want to keep free of weeds for up to 3 months. Spray the area with sufficient volume to assure complete coverage. When spraying around the base of well-established (at least 6 months old) ornamental plants, shrubs, or trees, shield desirable plants from drift with a sheet of cardboard or plastic. Use caution to prevent application to green stems and leaves, damage can occur.

WHEN TO REPLANT

All ornamental bedding plants, trees, shrubs, sod, and seed (flowers and grasses) may be planted 4 months after application.

HOW TO CLEAN SPRAYER

To clean sprayer after use, rinse sprayer and all sprayer parts with soap and water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: STORE ABOVE 10°F (-12°C) TO KEEP PRODUCT FROM CRYSTALLIZING. Crystals will settle to the bottom. If allowed to crystallize, place in a warm room 68°F (20°C) for several days to redissolve and shake or roll to mix well before using.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or incinerate, or burn if allowed by state and local authorities. Stay out of smoke from burning container.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Desirable plant injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of Lawn and Garden Products, Inc. or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Lawn and Garden Products, Inc. and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. To the extent consistent with applicable law, LAWN AND GARDEN PRODUCTS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been used contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Lawn and Garden Products, Inc., and Buyer assumes the risk of any such use.

To the extent consistent with applicable law, Lawn and Garden Products, Inc. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF LAWN AND GARDEN PRODUCTS, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF LAWN AND GARDEN PRODUCTS, INC. OR SELLER, THE REPLACEMENT OF PRODUCT.

The Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

(RV 122006)

0307(01)