Page **1** of **8** 

SAFETY DATA SHEET FLEE Plus IGR Trigger Spray

Revision Date: January 14, 2016

### **SECTION 1: IDENTIFICATION**

**Product Name:** FLEE Plus IGR Trigger Spray

**EPA Registration No.:** 87093-8-53883

**Recommended Use:** Insecticide; See product label for a complete list of uses and use sites. **Restrictions on Use:** See product label for any restrictions on the use of this product.

**Chemical Family:** N/A – Multiple active ingredients

Chemical Name of Fipronil: 5-amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-4-

**Active Ingredient(s):** (trifluoromethylsulfinyl)pyrazole-3-carbonitrile

S-methoprene

Manufactured for: Control Solutions, Inc.

5903 Genoa-Red Bluff Pasadena, TX 77507

FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: CHEMTREC 1-800-424-9300

FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: Safety Call 1-866-897-8050

### SECTION 2: HAZARD(S) IDENTIFICATION

**EMERGENCY OVERVIEW:** Flammable liquid. May cause drowsiness or dizziness if inhaled. Causes serious but temporary eye irritation.

### **OSHA HCS CLASSIFICATION (29 CFR 1910.1200)**

Flammable Liquid	Category 2
Acute Inhalation Toxicity	Category 4
Eye Damage/Irritation	Category 2A
Specific Target Organ Toxicant – Single Exposure	Category 3
Carcinogenicity	Category 2

Signal Word: DANGER

**Hazard Statement(s):** Highly flammable liquid and vapor.

Harmful if inhaled.

Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing cancer.

Precautionary Statement(s):

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. -No smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash hands thoroughly after handling. Avoid breathing mist/vapors/spray.







# **FLEE Plus IGR Trigger Spray**

**Revision Date:** January 14, 2016

Use only outdoors or in a well-ventilated area.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

**Response:** IF ON SKIN (OR HAIR): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

**IN CASE OF FIRE:** Use foam, dry chemical, carbon dioxide to extinguish. **IF INHALED:** Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF EXPOSED OR CONCERNED: Get medical advice/attention.

**Storage:** Store in a well-ventilated place.

Keep cool.

Keep container tightly closed.

Store locked up.

**Disposal:** Dispose of contents/container in accordance with Federal, state and local laws and

regulations.

The following percentage of the mixture consists of components with unknown hazards regarding the acute toxicity:

<1.0% Acute dermal irritation

5 – 10% Acute inhalation toxicity

5-10% Eye irritation 5-10% Skin irritation

5 - 10% Skin sensitization.

### **SECTION 3: COMPOSTION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS Number	Weight %
Isopropanol	67-63-0	90.0 – 100.0%
Diethylene glycol monoethyl ether	111-90-0	2.5 – 10.0%
Butylated hydroxyanisole	25013-16-5	0.1 – 1.0%
Fipronil	120068-37-3	0.29%
S-methoprene	65733-16-6	0.28

<sup>\*</sup>Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

SECTION 4: FI	RST AID MEASURES
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Page 3 of 8

## **FLEE Plus IGR Trigger Spray**

Revision Date: January 14, 2016

IF Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Most important symptoms/effects, acute and delayed:** Redness, edema, drying, defatting and cracking of the skin. Redness and tearing of the eyes. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

#### **SECTION 5: FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media: Foam, dry chemical, carbon dioxide

Unsuitable Extinguishing Media: Water jet

Hazardous Combustion Products: Thermal decomposition may produce toxic oxides of carbon and

nitrogen.

**Special Protective Equipment &** 

**Precautions:** 

Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear self-contained breathing apparatus and full fire-fighting turn-out gear

(Bunker gear).

**Unusual Fire & Explosion** 

Hazards:

None known

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** See Section 8 for personal protection equipment.

**Environmental** Keep spilled material and any rinsate from contaminating soil or from entering

**Precautions:** sewage and drainage systems and bodies of water.

Methods for Isolate the spill area. Keep unnecessary and unprotected personnel from entering.

Containment: Eliminate all sources of ignition. Absorb small spills with sand, vermiculite or other inert absorbent. Avoid use of combustible materials such as sawdust or cloth rags. Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed

material to solidify and scrape up for disposal.

**Methods for Clean-up:** Place contaminated material in appropriate container for disposal. After removal,

flush contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container. Do not put spilled material back in

the original container.

Other Information: None known

Page **4** of **8** 

# **FLEE Plus IGR Trigger Spray**

Revision Date: January 14, 2016

#### **SECTION 7: HANDLING AND STORAGE**

Handling: RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL

BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this product. Immediately wash off accidental splashes of the concentrate or spray mixture from

skin, clothing and out of eyes.

Storage: See pesticide label for full information on product storage. Do not contaminate water, food

or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from

children and animals.

**Storage Temperature (Min/Max):** Store at room temperature.

**Product Incompatibilities:** Acids

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

Users of a pesticide product must refer to the product label for personal protective equipment requirements.

#### **Exposure Guidelines:**

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
Diethylene glycol monoethyl ether		25 ppm (TWA)	
Icanrananal	400 ppm (T\4/4)	200 ppm (TWA)	
Isopropanol	400 ppm (TWA)	400 ppm (STEL)	

**Engineering** Provide general or local exhaust ventilation systems to maintain airborne concentrations

**Controls:** below OSHA PELs or other specified exposure limits. Local exhaust ventilation is

preferred.

**Respiratory Protection:** In areas of poor ventilation or where exposure guidelines will be exceeded, use

a NIOSH approved respirator with cartridges/canisters approved for pesticides.

**Eye Protection:** Chemical goggles or safety glasses and full-face shield.

**Protective Gloves:** Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile,

neoprene rubber, polyvinyl chloride (PVC) or Viton.

**Other Protective Clothing:** Long-sleeved shirt, long pants and chemical resistant footwear plus socks.

**General Safety Measures:** Wash hands before eating, drinking, chewing gum, using tobacco, or using the

toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot

water. Keep and wash PPE separately from other laundry.

# **FLEE Plus IGR Trigger Spray**

Revision Date: January 14, 2016

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Clear, non-viscous Upper/Lower Flammability Limits: Not determined

liquid

Odor: Alcohol **Vapor Pressure:** Not determined **Odor Threshold:** Not determined Vapor Density: Not determined pH (1% dispersion): 6.3 Relative Density (@24°C): 0.79 (typical) **Melting /Freezing Point:** Not determined **Solubility:** Not determined **Boiling Point/Range:** Not determined **Partition Coefficient:** Not determined Flash Point: 53°F (11.7°C) **Auto-ignition Temperature:** Not determined **Evaporation Rate:** Not determined **Decomposition Temperature:** Not determined Flammability: Not applicable **Viscosity:** Not determined

#### **SECTION 10: STABILITY AND REACTIVITY**

**Reactivity:** No hazardous chemical reactions known.

**Chemical Stability:** Stable under normal storage and handling conditions.

**Possibility of Hazardous Reactions:** No potential for hazardous reactions known.

**Conditions to Avoid:** Avoid heat, flames and sources of ignition. Do not pressurize, cut,

weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.

**Incompatible Materials:** Acids

Hazardous Decomposition Thermal decomposition may produce toxic oxides of carbon and

**Products:** nitrogen.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

**Likely Routes of Exposure:** Eye contact, Skin contact, Inhalation, Ingestion

Symptoms of Exposure: Redness, edema, drying, defatting and cracking of the skin. Redness and

tearing of the eyes. Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting.

Oral LD₅₀:4979 mg/kg (Estimated based upon component data)Dermal LD₅₀:>5,000 mg/kg (Estimated based upon component data)Inhalation LC₅₀:1.51 mg/L (4-hour)(Estimated based upon component data)

Estimated to cause moderate eye irritation based upon component data.

Skin Corrosion/Irritation:

Skin Sensitization:

Estimated to cause moderate eye irritation based upon component data.

Not anticipated to cause skin irritation based upon component data.

Chronic/Subchronic Toxicity: No data available
Mutagenicity: No data available
Reproductive Toxicity: No data available
Neurotoxicity: No data available
Target Organs: No data available

**Aspiration Hazard:** Not anticipated to be an aspiration hazard.

**Carcinogenicity:** Fipronil Technical: The EPA has classified fipronil as a Group C – Possible

Human Carcinogen based upon laboratory animal studies (increased thyroid tumors in male and female rats). Humans and rats have the same mechanism of action which produced fipronil-induced thyroid tumors in the rat; however,

Page **6** of **8** 

Revision Date: January 14, 2016

# **FLEE Plus IGR Trigger Spray**

the rat appears to be more highly sensitive than humans. Therefore, the

fipronil-induced rat thyroid tumors are not considered suggestive of a human

health risk.

Chemical Name	ACGIH	IARC	NTP	OSHA
Butylated hydroxyanisole		Group 2B	Reasonably	
			anticipated to be a	
			human carcinogen	
Isopropanol		Group 3		

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Environmental Hazards Statement from FIFRA Regulated Pesticide Label:** 

No such statement.

**ECOTOXICITY DATA:** Data presented below is on the fipronil technical product.

Fish Toxicity: Zebra fish: 96-hour  $LC_{50} = 0.071 \text{ mg/L}$ Aquatic Invertebrate Toxicity: Daphnia magna: 96-hour  $EC_{50} < 0.1 \text{ mg/L}$ 

Aquatic Plant Toxicity: P. subcapitata:  $EC_{50} = 3.0 \text{ mg/L}$ Avian Toxicity: Japanese quail:  $LD_{50} = 148.5 \text{ mg/kg}$ 

**Honeybee Toxicity:** Oral LD<sub>50</sub> =  $0.003 \mu g/bee$ 

**ENVIRONMENTAL EFFECTS:** 

Persistence and Degradability: No data available
Bioaccumulation: No data available
Mobility: No data available
Other Adverse Effects: No data available

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste Disposal: Refer to the pesticide label for full information on disposal. Pesticide wastes are

toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in

proper disposal methods.

**Container Disposal:** Refer to the pesticide label for full information on disposal. Do not puncture and

incinerate.

**RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the

RCRA classification and hazard status of the waste.

#### **SECTION 14: TRANSPORTATION INFORMATION**

DOT
UN1993, Flammable Liquid N.O.S. (Isopropanol), 3, PGII

(Ground):

UN1993, Flammable Liquid N.O.S. (Isopropanol), 3, PGII

IMDG (Sea): IATA

UN1993, Flammable Liquid N.O.S. (Isopropanol), 3, PGII

(Air):

Revision Date: January 14, 2016

#### **SECTION 15: REGULATORY INFORMATION**

Labeling Requirements Under FIFRA: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### **CAUTION**

Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Avoid breathing spray. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Persons applying this product must wear rubber gloves.

**TSCA Inventory:** This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA

regulated use.

#### **SARA Title III Information:**

Section 302 – Extremely hazardous substances: None

**Section 311/312 – Hazard Categories:** Acute (Immediate), Chronic (Delayed), Fire **Section 313 –** This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %
Isopropanol	67-63-0	90 – 100%

**CERCLA** – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Chemical Name	CAS Number	RQ	Quantity of Finished Product
None listed			

### **CALIFORNIA PROPOSITION 65:**

Chemical Name	CAS Number	Prop 65 Category(ies)
Butylated hydroxyanisole	25013-16-5	Carcinogen

#### **U.S. STATE RIGHT-TO-KNOW REGULATIONS:**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Butylated hydroxyanisole	X	X	
Isopropanol	X	X	X

#### **SECTION 16: OTHER INFORMATION**

|--|

**Disclaimer:** Control Solutions, Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. Control Solutions, Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability

Page **8** of **8 Revision Date:** January 14, 2016

# **FLEE Plus IGR Trigger Spray**

of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

**Revision Date:** January 14, 2016 **Document Superseded:** N/A – New document

**Revision Note:**