

Pyrethrin Garden Insect Spray

Concentrate

A fast acting effective way to kill Aphids, Beetles, Webworms, Leafhoppers & many other yard & garden insects

ACTIVE INGREDIENTS:

EPA Est. No. 4-NY-1 EPA Reg. No. 4-371

Keep Out Of Reach Of Children CAUTION See back booklet for Additional Precautionary Statements and First Aid

Can be used on vegetables till day of harvest

PYRETHRIN GARDEN INSECT SPRAY CONCENTRATE

- Provides Effective, Fast-Acting, Killing Power with no Objectionable Residue
- •Can be Used on Vegetables Till Day of Harvest
- •Use Outdoors on Flowers, Roses, Trees and Shrubs, Ornamentals and Vegetables
- Mixes Readily with Water to Make an Easyto-use Spray

Store and transport in an upright position. EPA Est. No. 4-NY-1 EPA Reg. No. 4-371 Buyers Guarantee Limited to Label Claims. ©Bonide Products, Inc. All Rights Reserved

Manufactured by: Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

GENERAL PRECAUTIONS & RESTRICTIONS

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying. Do not allow adults, children, or pets to enter the treated area until sprays have dried. Do not water the treated area to the point of runoff. Do not wet plants to point of runoff or drip. Do not make applications during rain. Not for use in outdoor residential misting systems.

Prepare only the amount of spray required. Holding dilute spray more than 24 hours is not recommended.

VEGETABLES

Mix 1.5 fl. oz. (3 Tbs) in 1 gallon of water. Apply to insure thorough coverage of upper and lower leaf surfaces, but do not wet plants to point of runoff or drip. Outdoors – Do not exceed 1 gallon of dilute spray per 1,000 sq. ft. In greenhouses – Do not exceed 1 gallon of dilute spray per 10,000 sq. ft. Use caution on new growth and tender foliage. Do not apply more than 10 times per season. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure do not reapply within 24 hours.

- VEGETABLES Cont		
CROP	TO CONTROL	
Asparagus	Asparagus Beetle	
Beans	Aphids, Leafhoppers, 12-Spotted Cucumber Beetle, Whitefly, Mexican Bean Beetle	
Broccoli, Cabbage, Brussels Sprouts, Cauliflower	Aphids, Cabbage Looper, Cross-Striped Cabbageworm, Diamondback Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Stink Bug	
Celery	Green Peach Aphid, Leaftier, Cabbage Looper	
Cranberries	Fireworms, Leafhopper	
Eggplants	Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid	
Lettuce	Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm	
Mustard Greens, Kale, Collards, Turnips	Imported Cabbageworm, Diamondback Caterpillar, Aphids, Cabbage Looper	
Peppers	Green Peach Aphid	
Potatoes	Aphids, Colorado Potato Beetle, Flea Beetle, Leafhoppers	
Radish	Aphids, Flea Beetle	
Spinach	Aphids, Cabbage Looper, Webworm	
Tomatoes	Green Peach Aphid, Stink Bug, Colorado Potato Beetle, Flea Beetle	

FLOWERS, ORNAMENTAL TREES & SHRUBS

Mix 2.5 fl. oz. (5 Tbs) in 1 gallon of water - do not exceed 1 gallon of dilute spray per 1,000 sq. ft. Do not apply more than once a day. For spot treatment of localized areas, mix 7 fl. oz. in 1 gallon of water-do not exceed 1 gallon of dilute spray per 1,000 sq. ft.

ORNAMENTALS	TO CONTROL
Ornamentals	Aphids, Flea Beetle, Leafhopper
(African Violets,	
Asters, Azaleas,	
Begonias,	
Camelias,	
Carnations,	
Chrysanthemums,	
Dahlias,	
Dogwoods,	
Geraniums,	
Gladioli, Marigolds,	
Roses, Rubber	
Plants, Wandering	
Jew, etc.)	

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets.

Pesticide Disposal: If partly filled – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Container Disposal: If empty – Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information. If on Skin Take off contaminated clothing. or Clothina: Binse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If Inhaled: Move person to fresh air. •If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible, ·Call a poison control center or doctor for further treatment advice. if in Eves: Hold eve open and rinse slowly and gently with water for 15-20 minutes. · Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. · Call a poison control center or doctor for treatment advice.

FIRST AID Cont.		
If Swallowed:	 Call a poison control center or doctor 	
	immediately for treatment advice	
	 Do not give any liquid to the person 	
	•Do not induce vomiting unless told to do	
	so by the poison control center or doctor.	
	 Do not give anything by mouth to an 	
	unconscious person.	
NOTE TO PHYSICIAN: Contains petroleum distillate -		

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems. This product is highly toxic to bees exposed to direct treatment on blowning crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.