

Category:

DREXEL SURF-AC® 910

SECTION 1: MATERIAL IDENTIFICATION

Product Name: Drexel Surf-Ac® 910
Product Usage: Non-ionic surfactant

Manufacturer: Drexel Chemical Company
Address: 1700 Channel Avenue

PO Box 13327

Memphis, Tennessee, 38113-0327, USA

901-774-4370

Emergency TelephoneCHEMTREC800-424-9300Numbers:DREXEL CHEMICAL COMPANY901-774-4370

SECTION 2: HAZARD IDENTIFICATION

(As defined by the OSHA Hazard Communication Standard, 29)

Label Elements: Signal Word:

WARNING



Classifications:

Hazard Class: <u>Toxicity Study:</u>

Acute Toxicity, OralCategory 4Skin corrosion/ irritationCategory 2Serious eye damage / irritationCategory 2BFlammable LiquidsCategory 4

Hazard Statements: <u>H Code:</u> <u>Statement:</u>

H302 Harmful if swallowed
 H315 Causes skin irritation
 H320 Causes eye irritation
 H227 Combustible liquid

Precautionary Statements:

Prevention: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

In case of inadequate ventilation, wear respiratory protection.

Avoid release into the environment.

Response:

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do so. Continue rinsing. Get immediate medical advice/attention.

If Swallowed: Call a POISON CENTER or doctor/physician if you feel unwell. Treat symptomatically. **If Inhaled:** Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER or

doctor if you feel unwell.

If on Skin or Clothing: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Drexel Surf-Ac® 910

Page 1 of 8



If exposed or concerned: None available, get medical attention.

Storage: Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Always use oldest stock first.

Disposal: Dispose of contents/container in accordance with your local or area regulatory authorities.

Specific hazards: None available.

SECTION 3: COMPOSITION INFORMATION

<u>Chemical Name:</u> Active Ingredient:	Synonym:	CAS No.:	EC No.:	RTECS:	<u>% By Wt.:</u>
Polyethylene glycol nonylphenyl ether; Alcohols, C10-C16, ethoxylated	Proprietary	9016-45-9 68002-97-1	N/A	N/A	90.0%
Inert Ingredients:	Proprietary	Proprietary	N/A	N/A	10.0%

SECTION 4: FIRST-AID MEASURES

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call CHEMTREC at 800-424-9300 for emergency medical treatment information.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Skin/Clothing Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20

minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or

doctor for further treatment advice.

Indication of Medical
Attention and Special
Treatment Needed:

None / Treat symptomatically

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE FIGHTING MEASURES

Fire Fighting Media: CO₂, Foam solution, Water spray

Fire Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. Evacuate the area and fight the

fire from upwind at a safe distance to avoid hazardous vapors or decomposition products. Cool closed containers exposed to fire with water spray, if possible. Dike and collect fire-extinguishing water to prevent environmental damage and excessive waste runoff.

Special Protective Equipment for Firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (includes firefighting helmet, coat, trousers, boots, and gloves). Use full face shield and operate in positive pressure mode. Avoid contact with this material during firefighting operations. If contact is likely, change to full chemical resistant firefighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical

Drexel Surf-Ac® 910 Page 2 of 8



resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the

relevant sections.

Specific Fire Hazards: Flammability classification (OSHA 29 CFR 1910.1200): Combustible

Flash point: > 140°F - < 200°F

Lower flammable limit (% by volume): N/Av Upper flammable limit (% by volume): N/Av

Hazardous Combustion

Products:

Carbon monoxide and asphyxiants

National Fire Protection Association:

NFPA:	Health	Fire	Reactivity	
20	2	1	0	
Ratings	1-Extreme 3-High	2-Moderate	1-Slight 0-Insignificant	

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to SECTION 7: HANDLING AND STORAGE, for additional precautionary measures. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION.

Environmental Precautions:

Do not flush into surface water or sanitary sewer system. Prevent from entering soil, ditches, sewers, waterways and/or groundwater. Refer to SECTION 12: ECOLOGICAL INFORMATION.

Steps to be taken if Material is Released or Spilled:

Control the spill at its source.

Small spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable

and properly labeled containers. Prevent entry into waterways, sewers, basements or confined areas.

Large spills: Stop the flow of material, if this is without risk. Apply suitable absorbent and sweep up. Collect in suitable

and properly labeled containers. Contact Drexel Chemical Company for clean-up assistance. Refer to SECTION 13: DISPOSAL CONSIDERATIONS, for additional information. Prevent entry into waterways, sewers,

basements or confined areas.

SECTION 7: HANDLING AND STORAGE

KEEP OUT OF REACH OF CHILDREN

Handling: General Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do not

swallow. Avoid breathing dust. Avoid breathing vapors. Do not eat, drink or smoke when using this product. Use with adequate ventilation. Wear chemical protective equipment when handling. Wear long-sleeved shirt, long pants and shoes with socks when handling. Keep away from heat, sparks and flame. Refer to

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Storage: Store in a cool, dry, ventilated and secure area designated specifically for pesticides and away from heat

sources. Keep in original containers and keep containers closed when not in use. Do not store in excessive heat. Do not store near children, food, foodstuffs, drugs or potable water supplies. Always use oldest stock

first.

Drexel Surf-Ac® 910 Page 3 of 8



SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Components:	OSHA PEL	ACGIH TLV
Polyethylene glycol nonylphenyl ether;	N/A	N/A
Alcohols, C10-C16, ethoxylated		

THIS SECTION IS FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD REFER TO THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

Engineering Controls:

Ventilation:

Investigate engineering techniques to reduce exposures. When handling this product proper ventilation is required to maintain exposure below the TLV. Ventilate all transport vehicles prior to unloading. Facilities storing or utilizing this material should be equipped with an eyewash facility / station and safety shower. Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

Personal Protection:

Eye/Face Protection:

Eye contact should be avoided through the use of chemical safety glasses, goggles, or a face shield selected in regard to exposure potential. Wear chemical splash goggles to prevent vapors or mists from entering the eyes. Where there is potential for eye contact have eye flushing equipment available. Safety glasses with sideshields.

Ingestion:

Avoid ingestion of even very small amounts; do not consume or store food or tobacco in the work area; wash hands and face thoroughly with soap and water before smoking or eating. Avoid getting wash water in eyes.

Hand Protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Neoprene, Nitrile/butadiene rubber ("nitrile" or "NBR") or Viton, Polyvinyl chloride ("PVC" or "vinyl").

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Safety shower should be located in immediate work area. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use an approved respirator. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. When handling in enclosed areas, when large quantities of dusts are generated or prolonged exposure is possible in excess of the TLV, use a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property Reported Value

Physical State Liquid

Drexel Surf- Ac^{\otimes} 910 Page 4 of 8



Boiling point 212°F

Flash point >140° F, <200°F

Sustain combustion Non-sustaining per ASTM 4206

Evaporation rate

Flammability

Upper flammability/explosive limits

Lower flammability/explosive limits

Vapor pressure

Vapor density

Not available

Not available

Not available

Relative density 8.50 lbs. / gal. (1.02 g/mL)

Solubility in water Complete Solubility in organic solvents Not available Partition coefficient (n-octanol/water) Not available Not available Auto-ignition temperature Decomposition temperature Not available Not available Viscosity Not available **Explosive properties** Oxidizing properties Not available **Dissociation Constant** Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Thermally stable at typical use temperatures and in closed containers.

Chemical Stability: Stable under recommended storage conditions.

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Avoid extreme temperatures and open flames.

Incompatible Materials: Avoid contact with strong oxidizers.

Hazardous Decomposition Products: Carbon monoxide and asphyxiants.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Potential routes of exposure/potential health effects: Skin contact. Eye contact. Ingestion.

Acute Oral: LD₅₀ (Rat): >1,300 mg/kg

Acute Dermal:LD50 (Rat):2 g/kgAcute Inhalation:LC50 (Rat):No data availableEye Irritation:(Rabbit):Causes eye irritationSkin Irritation:(Rabbit):Causes skin irritationSkin Sensitization:(Guinea Pig):No data available

Chronic Toxicity: No data available

Carcinogenicity: No data available

Mutagenicity: Non-mutagenic for bacteria and/or yeast

Teratogenicity: No data available

Reproductive Toxicity: No data available

Drexel Surf-Ac® 910 Page 5 of 8



Developmental Toxicity: No data available

Specific target organ toxicity-

No data available / Not classified

single exposure:

Specific target organ toxicity-

repeated exposure:

No data available / Not classified

Other Hazards Effects: No data available

SECTION 12: ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE

Alcohol ethoxylate (68002-971) Alkylphenol ethoxylate (9016-45-9)

ECO-ACUTE TOXICITY

Aquatic Toxicity: Fish, LC₅₀ 96 hour >1 mg/L

> Daphnia magna, LC₅₀ 48 hour >1 mg/L

Arthropod Toxicity: Bees, Acute LD₅₀ No data available / not established

No data available / not established **Bird Toxicity:** Mallard Duck, LD₅₀

> Bobwhite Quail, LD₅₀ No data available / not established

Algal Toxicity: Algae, LC₅₀ 96 hour >1 mg/L

Soil Organism Toxicity: Earthworm acute toxicity No data available / not established

Persistence and degradability: No data available / not established **Bioaccumulation:** No data available / not established Mobility in soil: No data available / not established

Other adverse effects: Do not contaminate water supplies, lakes, streams, ponds or drains with this product.

SECTION 13: DISPOSAL CONSIDERATIONS

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: TRANSPORT INFORMATION

DOT: Not Regulated IMDG: Not Regulated IATA / ICOA: Not Regulated

UN Identification No.: Not applicable **Proper Shipping Name:** Not applicable **Hazard Class:** Not applicable **Packing Group:** Not applicable Not applicable Reportable Quantity:

Drexel Surf-Ac® 910 Page 6 of 8



Environmental Hazard: Not applicable

Freight Description: Agricultural spray adjuvant, liquid, n.o.s

ERG Guide No.: 171
Transport Information Note: None

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

SECTION 15: REGULATORY INFORMATION

OSHA Hazard Communication

Standard:

This product contains no hazardous components as defined under the criteria of the

Federal OSHA Hazardous Communication Standard 29 CFR 1910.1200

Pesticide Registration: This product is subject to certain FIFRA labeling requirements under federal pesticide law.

These requirements differ from the classification criteria and hazard information required

for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Label Signal Word: WARNING

Label Information: KEEP OUT OF REACH OF CHILDREN

Label Information: Hazards To Humans And Domestic Animals

WARNING: Causes eye and skin irritation. Harmful if swallowed or if in contact with skin. Do not get on skin, in eyes or on clothing. Do not eat, drink or smoke when using this product. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Take off

contaminated clothing and wash before reuse.

Avoid release to the environment.

EPCRA SARA Title III Classification:

Section 302: Extremely Hazardous Substance This material is not known to contain any

Notification: Extremely Hazardous Substances.

Sections 311 and 312: Immediate (Acute) Health Hazard: Yes

Delayed (Chronic) Health Hazard: No

Fire Hazard: No Reactive Hazard: No

Sudden Release of Pressure Hazard: No

Section 313 Toxic Release Inventory (TRI): This material does not contain any chemical components with known

CAS numbers that exceed the threshold reporting levels established

by SARA Title III, Section 313.

CERCLA/SARA 304 Reportable Quantity (RQ): Not listed / Not available

RCRA Hazardous Waste Classification (40 CFR 261): Not listed / Not available

US EPA Toxic Substances Control Act (TSCA): All components of this product are on the TSCA Inventory or are

exempt from TSCA Inventory requirements under 40 CFR 720.30.

California Proposition 65 (Safe Drinking Water and

Toxic Enforcement Act of 1986):

Polyethylene glycol Listed as causing: Not listed nonylphenyl ether; Listing date: Not listed Alcohols, C10-C16, Listing basis: Not listed

ethoxylated

This product does not contain any chemicals known to the State of California to cause cancer, birth defects or any other reproductive

harm.

Drexel Surf-Ac® 910 Page 7 of 8



International Inventories:

TSCA Complies
EINECS/ ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

SECTION 16: OTHER INFORMATION

Date Issued: April 02, 2020 Date Supersedes: November 25, 2018 Revision: 0

For all non-emergency questions about 1700 Channel Avenue Phone: 901-774-4370 **this product, please contact:** PO Box 13327 Fax: 901-774-4666

Memphis, Tennessee 38113-0327, USA Website: www.drexchem.com

Drexel Chemical Company recommends that each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific SDSs, we are not and cannot be responsible for SDSs obtained from any source other than ourselves. If you have obtained an SDS from another source or if you are not sure that the SDS you have is current, please contact us for the most current version.

Drexel Surf-Ac® 910

Page 8 of 8